



INTERNATIONAL FOOD
POLICY RESEARCH INSTITUTE
sustainable solutions for ending hunger and poverty

ENVIRONMENT AND PRODUCTION TECHNOLOGY DIVISION

NOVEMBER 2005

EPT Discussion Paper 143

On Farm Conservation of Rice Biodiversity in Nepal: a Simultaneous Estimation Approach

D. Gauchan, M. E. Van Dusen, and M. Smale

2033 K Street, NW, Washington, DC 20006-1002 USA • Tel.: +1-202-862-5600 • Fax: +1-202-467-4439 ifpri@cgiar.org
www.ifpri.org

IFPRI Division Discussion Papers contain preliminary material and research results. They have not been subject to formal external reviews managed by IFPRI's Publications Review Committee, but have been reviewed by at least one internal or external researcher. They are circulated in order to stimulate discussion and critical comment.

Copyright 2005, International Food Policy Research Institute. All rights reserved. Sections of this material may be reproduced for personal and not-for profit use without the express written permission of but with acknowledgment to IFPRI. To reproduce the material contained herein for profit or commercial use requires express written permission. To obtain permission, contact the Communications Division at ifpri-copyright@cgiar.org.

ACKNOWLEDGMENTS

This paper is based on research conducted as part of the *In Situ* Conservation of Agrobiodiversity On-farm Project Nepal (NARC/LIBIRD/IPGRI), supported by the International Development Research Centre of Canada, and the European Union. The analysis presented in this manuscript was also supported by the International Food Policy Research Institute. We are grateful to senior scientists T. Hodgkin, D. Jarvis, P. Eyzaguirre, and B. Sthapit (International Plant Genetic Resources Institute) for their insights.

ABSTRACT

This paper presents an empirical case study about farmer management of rice genetic resources in two communities of Nepal, drawing on interdisciplinary, participatory research that involved farmers, rice geneticists, and social scientists. The decision-making process of farm households is modelled and estimated in order to provide information for the design of community-based conservation programs. A bivariate model with sample selection treats the simultaneous process of whether farmers decide to plant landraces or modern varieties, and whether the landraces they choose to plant constitute genetic diversity of interest for future crop improvement. Findings show that the two landrace choices are affected by different social and economic factors. The estimation procedure demonstrates that in certain cases, however, the decision processes are interrelated. Policies to promote the conservation of local rice diversity will need to take both processes into account. Fitted equations are then used to compare the likelihood that households targeted for conservation according to one set of conservation criteria also meet other conservation criteria. Households most likely to plant landraces identified as important for crop improvement also grow richer, more spatially diverse rice varieties. In these communities, few policy trade-offs would result from employing one set of criteria instead of the other.

Keywords: Genetic resources, rice, farmers, Nepal

TABLE OF CONTENTS

1. Introduction	1
2. Conceptual Approach	4
3. Econometric Approach	7
4. Data	10
5. Results	20
7. Conclusion	26
References	29

On Farm Conservation of Rice Biodiversity in Nepal: A simultaneous Estimation Approach

D. Gauchan,¹ M. E. Van Dusen,² M. Smale³

1. INTRODUCTION

On farm conservation of rice genetic diversity involves farmers deciding to continue managing landraces in agro-ecosystems and communities where they have evolved historically, known as centers of diversity. Nepal is an important center of genetic diversity for *Oryza sativa* (“Asian” rice). Farmers in Nepal maintain an estimated 2000 rice landraces in association with their wild and weedy relatives (Shrestha and Vaughan, 1989; Upadhyaya and Gupta, 2000). These landraces have evolved in response to wide variations in local conditions, combined with the careful seed selection and management practices of farmers.

Farmers choose to maintain the landraces they value by planting the seed, selecting the seed from the harvest or exchanging it with other farmers, and replanting. Their choices also determine whether or not genetic resources of social value for crop improvement continue to be grown *in situ*. Farmers may cease growing landraces if changes in the production or marketing environment cause them to lose their relative value. Designing on farm conservation efforts presents a number of policy challenges, including the identification of the social and economic forces driving the loss of

¹ Agricultural Economist, Nepal Agricultural Research Council (NARC), Kathmandu, Nepal.

² Consultant, International Food Policy Research Institute (IFPRI), Berkeley CA, USA

³ Senior Economist, International Plant Genetic Resources Institute (IPGRI), and Research Fellow, International Food Policy Research Institute (IFPRI), Washington DC, USA

landraces in a particular locality. Understanding the cost to farmers and to society of foregoing the opportunity to plant modern varieties is also fundamental, because there are many production environments of the world for which well-adapted modern varieties have not yet been bred.

Decades ago, Harlan (1972) and Frankel (1970) warned against the extensive displacement of landraces they observed during the early years of the Green Revolution, particularly in the more favorable agronomic environments where high yielding varieties were adopted first. Brush (2004) has cautioned that genetic erosion is not as broad a phenomenon as had been expected, but is a testable hypothesis worthy of study in longitudinal micro and regional studies. Nonetheless, the total number of landraces as well as the area planted to landraces in Nepal appears to be declining over time. In-depth group interviews with historical data confirm that in the villages studied here, modern varieties are indeed displacing landraces (Chaudhary et al 2004). One of the two villages, Bara, has an advanced degree of genetic erosion; the other, Kaski, has an incipient level.

Genetic erosion in crops occurs because privately optimal choices for farmers result in levels of crop biodiversity that are below a socially optimal threshold. There are multiple processes of genetic erosion. Previous applied economics studies about on farm conservation in developing economies have focused largely on either the competition between landraces and modern varieties (Brush, Taylor, and Bellon 1992; Meng 1997), or choices among landraces (Van Dusen 2000; Smale, Bellon and Aguirre 2001). In this paper we model two processes of genetic erosion simultaneously: 1) when a farmer switches to planting relatively more uniform or foreign “modern varieties;” and 2) when a farmer switches to less diverse landraces.

A conceptual approach drawn from a microeconomic model of farmer decision-making relates the two decisions to explanatory factors that may be influenced by public investments and policies. We test whether different farm, market, or social constraints influence the choice to grow landraces and the choice to grow a potentially valuable subset of the landraces. To cluster landraces into more or less diverse subsets, information is drawn from key informant interviews with rice scientists. Scientists classify landraces according to three conservation criteria: rarity, adaptability, and diversity. This information enables us to relate econometrically the varieties grown by farmers to possible resources of value to Nepalese society or to the world.

The purpose of this study is to assist in national plans for conserving agricultural biodiversity through investigating potential tradeoffs between the decisions of individual farmers and social outcomes (for previous work, see Subedi et al. 2002). Nepal is a signatory nation to the Convention on Biological Diversity and has participated in the activities of the United Nations Food and Agriculture Organization on the International Undertaking of the Commission on Genetic Resources for Food and Agriculture. Compliance with these international norms, and the pursuit of national strategies for sustainable development, will require innovative approaches to on farm conservation.

The Nepal Agricultural Research Council (NARC), an office of the Nepal government, implemented this field study. NARC has combined the activities of increasing crop yields through plant breeding and extension with conserving crop diversity on the national scale. Similarly, the NGO that participated in rural communities, Local Initiatives for Biodiversity, Research and Development (LI-BIRD), has the joint mission of conserving biodiversity while improving farmer livelihoods. The

research reported here was facilitated by the International Plant Genetic Resources Institute (IPGRI) global in situ project, in an effort to develop methodologies that can be shared across countries.

2. CONCEPTUAL APPROACH

The conceptual approach is based on the theory of the agricultural household (Singh, Squire, and Strauss, 1986). There is a long history of using household models in order to model the adoption of new agricultural technologies, which in this case study is represented as the decision to plant modern or traditional varieties of rice. A household model has been applied to analysis of crop biodiversity by Van Dusen and Taylor (2004) providing a framework to study the economics of managing crop genetic resources on farms (e.g. Meng 1997; Brush, Taylor, and Bellon 1992; Smale, Bellon and Aguirre 2001; Benin *et al.*, 2004; Birol 2004).

The adaptation of the household model depends on the aspects of farmer decision making that are modeled in each case. We focus in this paper on two processes: 1) whether farmers plant a general set of varieties (landraces), as compared to another set (modern varieties); and 2) whether farmers plant specific subsets of landraces. The two-stage, discrete nature of the decision process combines with the specific data structure to provide a unique application.

Following Van Dusen and Taylor (2004), the household obtains utility from consuming crops $i=1, 2, \dots, I$, any or all of which it may also produce, with levels of consumption represented by X_i , and consumption of all other market goods be denoted by Z . Household utility is affected by exogenous socioeconomic, cultural, or other

characteristics, Φ_{HH} . Households maximize utility subject to a full income constraint, with income composed of farm income, exogenous income \bar{Y} , and an endowment of family time T valued at the market wage, w , and a market constraint. The theoretical model can be represented mathematically as:

$$\max_{X,Q} U(\mathbf{X}, Z; \Phi_{HH}) \quad (1)$$

$$Z = p(\mathbf{Q} - \mathbf{X}) - C(\mathbf{Q}; \Phi_{Prod}) + \bar{Y} + wT \quad (2)$$

$$H_i(Q, X; \Phi_{Market}) = Q_i - X_i = 0 \quad (3)$$

Households choose which of j crop varieties, $j=1\dots J$ to produce and the output of each variety, Q_j . Farm income is the value of production (at market prices) net of market input costs. Household production is carried out subject to technological constraints embedded in a cost function, $C(\mathbf{Q}; \Phi_{Prod})$, where Φ_{Prod} is a vector of exogenous farm characteristics.

Market constraints on production and/or consumption are functions of exogenous characteristics Φ_{Market} . Represented by the functions $H(\cdot)$, market constraints could take many forms. For this model, it will suffice that under certain market conditions reflected in Φ_{Market} , such as high transactions costs, consumption demands must be met from household production. The characteristics of the market (Φ_{Market}) determine whether a household faces transactions costs for each variety i that it consumes. When markets are not functioning well for a variety or its trade is associated with significant costs of transaction, then production and consumption decisions cannot be separated and a

shadow price for the crop guides decision-making rather than its market price. This is clearly the case in the study area (Gauchan, Smale, and Chaudhary *forthcoming*).

The household chooses a vector of consumption levels, \mathbf{X} , and output levels, \mathbf{Q} . Letting λ denote the shadow value of income and γ a vector of shadow values on the market constraints, the Lagrangian corresponding to this general model is:

$$L = U(\mathbf{X}, Z; \Phi_{HH}) + \lambda \left[\left(p(\mathbf{Q} - \mathbf{X}) - C(\mathbf{Q}; \Phi_{Prod}) + \bar{Y} + wT \right) - Z \right] + \gamma(\mathbf{Q} - \mathbf{X}; \Phi_{Market}) \quad (4)$$

The prices faced by farmers are assumed to be endogenous due to market imperfections, and effects of endogenous prices are transmitted through household-specific factors (Ω_{HH}) and market conditions (Ω_M). Where prices vary by household, the major divergences will be driven by the household and market conditions so $p = p(\Omega_{HH}, \Omega_M)$ and $w = w(\Omega_{HH}, \Omega_M)$. The price of the composite market good, Z , is normalized to one, and thus drops out of the full income constraint.

The general solution to the household maximization problem when the constraints bind yields a set of constrained optimal production levels, Q^c , and consumption levels, X^c :

$$\mathbf{Q} = Q_i^c(\Phi_{HH}, \Phi_{Prod}, \Phi_{Market}) \quad (5)$$

$$\mathbf{X} = X_i^c(\bar{Y}, \Phi_{HH}, \Phi_{Prod}, \Phi_{Market}) \quad (6)$$

where Y^c denotes full income associated with the constrained optimal production levels Q^c . For some varieties the optimal production level may be zero; therefore, the outcome on Q^c will determine which of the j crops the household chooses to produce. In this study \mathbf{Q} represents a set of j possible landraces that the house could grow. The constrained

choices Q^c which results in nonzero outcomes are the rice varieties which the household decides to plant.

In this application, we apply the model in order to investigate the decision to plant landraces, and the decision to plant a subgroup of landraces. Both are discrete choices. Variety traits are not explicitly incorporated because neither decision involves the choice of a specific variety. There are typically substantial differences in the on-farm performance of modern and traditional varieties, though this is not always the case in marginal or heterogeneous growing environments. Differences are summarized in yield moments as part of the production technology (Equation 2), consistent with a substantial body of earlier literature on the adoption of modern varieties in Asia (Feder, Just and Zilberman, 1985; Just and Zilberman 1983). In the second stage decision, landrace subgroups were classified according to criteria defined by rice geneticists, rather than the criteria employed by farmers. By classifying landraces in this way, we use the econometric analysis to relate the decisions of farmers to choices of rice geneticists, drawing implications for on farm conservation.

3. ECONOMETRIC APPROACH

The random utility model enables the use of sample data to analyze the planting choices in Equation 5 in terms of two stages, each representing a process of genetic erosion. In the first stage, the household chooses to plant rice landraces if the utility the household expects to derive is greater than when not planting landraces ($U_L > U_{NL}$). In the second stage, the household chooses to grow a landrace (which happens to fall in one of the three subsets defined by rice geneticists) if the utility its members expect to derive

is greater than for other available alternatives ($U_i > U_j$, for any j not equal to i). In each stage the decision is about a process of participation with zero outcomes for those households not participating.

Since utility levels (U) cannot be observed, the choices observed in the data reveal the alternatives that provide the greatest utility to households. Variation in these choices is explained systematically by the preferences of households and the constraints they face. Preferences and constraints depend on observable variables related to household, farm and market characteristics. Drawing data from a random sample of households provides a statistical context for predicting the probability that a household grows a landrace as a function of the systematic component ($\beta'X$) and random errors (ε):

Probability (Landrace *over* No Landrace) =

$$\text{Probability } (U_L > U_{NL}) = \beta_{10} + \beta_{1H}'\Omega_{HH} + \beta_{1F}'\Omega_F + \beta_{1M}'\Omega_M + \beta_{1Y}\bar{Y} + \varepsilon_1.$$

Probability (Landrace in group i chosen) =

$$\text{Probability } (U_i > U_{not\ i}) = \beta_{20} + \beta_{2H}'\Omega_{HH} + \beta_{2F}'\Omega_F + \beta_{2M}'\Omega_M + \beta_{2Y}\bar{Y} + \varepsilon_2.$$

If ε_1 and ε_2 are correlated a bivariate probit approach is used.

The decision to plant landraces is the first stage of the household decision process and the decision to plant a specific landrace is the second stage, with the decision in the second stage depending on the first. A bivariate probit with sample selection, known as the Heckman probit, is well suited to applications with two categorical variables, two processes influencing the same set of decision-makers, and one outcome conditional on the other. The model accounts for the censoring and generates unbiased coefficient

estimates. Previous applications include Van de Ven, Wynand, and Van Praag (1981) and Boyles, Hoffman, and Low (1989).

The notation used here follows Greene (2000). Decisions are represented by α_1 for first stage choice and α_2 for the second stage choice. Simplifying the notation by using constrained optimal choice α_i and stacking the explanatory variables [Ω_{HH} , Ω_F , Ω_M] into a vector of independent variables, X (X_i for each household i),

For the general landrace choice,

$$\begin{aligned}\alpha_{i1} &= X_i\beta + \varepsilon_{i1}, \text{ and} \\ \alpha_{i1} &= 1 \text{ if } \alpha_{i1}^* > 0 \\ \alpha_{i1} &= 0 \text{ if } \alpha_{i1}^* = 0\end{aligned}$$

For the specific sub-group landrace choice,

$$\begin{aligned}\alpha_{i2} &= X_i\beta + \varepsilon_{i2}, \text{ and} \\ \alpha_{i2} &= 1 \text{ if } \alpha_{i2}^* > 0 \\ \alpha_{i2} &= 0 \text{ if } \alpha_{i2}^* = 0\end{aligned}$$

where α_2 is only observed where $\alpha_1 > 0$

The error terms, (ε_{i1} , ε_{i2}) are assumed to be distributed i.i.d. bivariate normal, with correlation ρ .

The likelihood function is:

$$L = \sum_{\alpha_2=1} \ln \Phi_2(\beta'_1 x_{i1}, \beta'_2 x_{i2}, \rho) + \sum_{\alpha_2=0} \ln \Phi_2(-\beta'_1 x_{i1}, \beta'_2 x_{i2}, -\rho) + \sum \ln [1 - \Phi_1(x_{i1}\beta_1)]$$

where Φ_1 is the univariate cumulative normal distribution and Φ_2 is the bivariate cumulative normal distribution.

4. DATA

SITE DESCRIPTION

Research was undertaken in two sites representing key rice-producing ecologies in Nepal (Figure 1). In most parts of Nepal, rice is grown on small family-based subsistence farms with an average size varying from less than 0.1 to 1.0 hectare. The Kaski site is located in a lake watershed and is comprised of a cluster of communities with moderate-to-high population density (155 persons per square km). The agroecosystem is mid-altitude (600-1600 masl) and warm temperate to subtropical, with a wide range in altitude and ecological features including upper and lower hill terraces. Precipitation per annum is about 3900 mm. Rice production is semi-subsistence and dominated by landraces that are grown in micro-niches, often in close association with their wild relatives found in the periphery of the two major lakes.

The Bara site is a lowlands river watershed, with higher population density (210 people per square km). Located on the flat and fertile Indo-Gangetic plain (Terai region) on the southern border with India, this agroecosystem is low altitude (80-150 masl) and sub-tropical, with an average rainfall of 886 mm/annum. Rice production is semi-commercial and is dominated by modern varieties with few farmers growing landraces. The Terai lowlands are the rice-bowl of Nepal, producing 75 percent of the national rice crop; hill and mountain regions produce the remaining 25 per cent (APSD, 2001). Bara

farmers have easy access to high yielding modern varieties and information about modern technologies and markets from both local and external sources (Paudel et al. 2000).

SAMPLE DESIGN

The sample survey research and analysis reported here builds on several years of intensive, participatory research with farmers as part of the Nepal national *in situ* conservation project. Initially the survey team listed all 1856 households in both sites. Through local contacts, they learned that some of the households were no longer engaged in farming, some were no longer located in the original settlement, and a few did not grow rice. A random sample representing 17.25% of actively farming, rice-growing households was drawn, numbering 159 in Kaski and 148 in Bara, for a total sample size of 307.

The survey instrument was a structured questionnaire administered in personal interviews. Questions covered social, demographic, and economic characteristics of farmers and their households, as well as physical characteristics of their farms, economic aspects of rice production, and market access. The principal researcher coordinated the survey with the support of experienced, local staff. Both men and women involved in rice production and consumption decisions were interviewed. To enhance data quality and uniformity, peer review of the questionnaires was undertaken in regular intervals to check for measurement errors, ambiguities and missing information. Households were revisited immediately for missing information and inappropriate responses during the survey period. To ensure uniformity in units of measurement and consistent terminology, the researcher and enumerators edited the questionnaires at the survey site.

DEPENDENT VARIABLES

There are major differences between modern varieties and landraces, but there are also differences within each category. Not all landraces are equally promising candidates for conserving diversity that will be of value to producers and consumers in the future. Measurement of local crop diversity has constituted a major challenge in the applied economics literature about on farm conservation, since more sophisticated metrics based on genetic data often correlate poorly with the units that are managed and recognized by farmers (Meng et al. 1998; Van Dusen 2000). Quantitative genetic studies do not provide a suitable framework for tests of economics hypotheses. Recent studies have applied simple metrics with a greater intuitive appeal, such as counts, abundance, or evenness indices constructed from variety area shares. These metrics are similar to the measures of spatial diversity that have been developed in ecological theory and population biology (Magurran 1988). Such indices are neutral or abstract in the sense that each unit (variety) is treated as equally important—and equidistant from another. Brock and Xepapadeas (2003) have argued that neither spatially-defined, ecological indices nor genetically-defined, distance metrics are inherently superior for economic analysis.

The approach used in this paper is straightforward. We link the private value of rice landraces, as these are named and recognized by farmers, to their potential social value in crop improvement, as assessed by rice scientists who have analyzed them genetically in on-farm trials and laboratories. The landraces recognized by farmers as distinct are classified by three criteria rice geneticists consider to be important for crop improvement.

A structured, key informant survey of rice geneticists, including plant breeders and conservationists was implemented. First, a total of 16 rice scientists (both plant

breeders and conservationists) were asked to identify criteria breeders use to select landraces as potentially useful. Scientists were chosen based on their active involvement in on-farm crop genetic conservation and national rice breeding programs. Members of the national agricultural research system, the Nepal Agricultural Research Council (NARC) and a local NGO, the Local Initiative for Biodiversity Research and Development (LIBIRD), participated. Criteria included: diversity (expressed as a non-uniform, heterogeneous population); rarity (embodying unique or uncommon traits) and adaptability (exhibiting wide adaptation). Then, scientists were supplied with a list of rice landraces cultivated in the project site and asked to classify them according to selection criteria. Categories are not mutually exclusive. That is, the same rice landrace may be classified under more than one criterion.

A survey of rice geneticists involved in the national *in situ* project and rice research in Nepal, including both plant breeders and conservationists, was implemented. First, the criteria they use to select landraces as potentially useful were elicited in a focus group of 16. These included: diversity (expressed as a non-uniform, heterogeneous population); rarity (embodying unique or uncommon traits) and adaptability (exhibiting wide adaptation). Next, based on their own experience and knowledge, eight geneticists were asked individually to classify each rice landrace according to the three criteria. The three criteria were made exclusive, and each landrace was assigned to the criteria that most strongly characterized it. Table 1 reports geneticists' selection of rice landraces grown in the study sites, by criterion. Their preferences reflect their perception of the potential value of the varieties for future crop improvement, based on an expert assessment of the value to society as a whole.

Table 1--Geneticists' classification of rice landraces by conservation goal

Variety name	Diverse	Rare	Adaptive	Variety name	Diverse	Rare	Adaptive
Anadi Rato	0	0	1	Jhinuwa Ghaiya	0	1	0
Anadi Seto	0	0	1	Jhinuwa Kalo	0	1	0
Anga	0	1	0	Jhinuwa Pakhe	0	1	0
Badahari	0	1	0	Jhinuwa Seto	0	1	0
Basmati	0	0	0	Jhinuwa Tarkaya	0	1	0
Basmati	0	0	0	Juwari	0	1	0
Bayerni	0	1	0	Kathe Gurdi	1	0	0
Bayerni Jhinuwa	0	1	0	Kaude 1 (NL+KG)	0	0	0
Bhathi	0	1	0	Kaude 2 (Md+Mn)	0	0	0
Bichara Ghaiya	0	1	0	Kunchhale Ghaiya	0	1	0
Ekle	0	0	0	Madhese	0	0	1
Faram lalka	0	0	1	Mala	0	0	1
Gajale Jhinuwa	0	1	0	Mansara	0	0	1
Gauriya	0	1	0	Mansuli Ghaiya	0	1	0
Gurdi	1	0	0	Mut Mur	0	1	0
Gurdi Sano	1	0	0	Naulo Madhese	0	0	1
Gurdi Thulo	1	0	0	Pahenle	0	0	0
Jarneli	1	0	0	Ramani	0	1	0
Jarneli Dhave	0	1	0	Rato Ghaiya	0	1	0
Jarneli Pakhe	0	1	0	Sathhi	0	1	0
Jetho Budho	1	0	0	Seto Ghaiya	0	1	0
Jhinuwa	1	0	0	Tunde	0	1	0

1=of high potential value, 0 otherwise

Table 2 presents the percent of households growing rice landraces in the pooled sample and by site. The data reveal that 56% of households grow rice landraces, but this number is unevenly distributed. While only 10% grow landraces in Bara, 98% grow landraces in Kaski. The decisions of most households lead to corner solutions. That is,

118 grow only modern varieties while 135 grow only landraces. A much smaller number, 56 households, grow both.

Table 2--Dependent variables

	Ecosite		All
	Bara (N=148)	Kaski (N=159)	Pooled (N=307)
Stage 1			
Percent households growing any landraces	10.8	98.1	56.0
Stage 2			
Percent households growing diverse landraces	2	50.9	27.4
Percent households growing rare landraces	2.7	20.8	12.1
Percent households growing adaptive landraces	0.7	74.8	39.1

The vast majority of households growing targeted landraces are also found in the Kaski region. The spread of households between the different subsets is also uneven. Only 12% of households in the sample grow rare landraces, 27% grow landraces that are heterogeneous, and as many as 39% grow landraces from the adaptable subset. This variation is of policy interest if a targeting criteria leads to some different and some overlapping subsets of households.

INDEPENDENT VARIABLES

The independent variables to explain household planting decisions are presented in Table 3.

Table 3--Independent variables

	Bara	Kaski	All
Household Characteristic			
Age of production decision maker (years)	48.27	46.20	47.20
Adults working on-farm (number)	2.52	2.51	2.52
Percent female of actively-working adults	0.27	0.28	0.28
Exogenous income (average monthly household expenditure since preceding years last harvest)	2483	2581	2533
Total asset value (calculated from durable goods)	21964**	27160	24655
Farm Characteristics			
Percent rice area under irrigation	0.42	0.39	0.407
Number of rice land types	1.54	1.49	1.517
Total walking distances (minutes) from house to rice plot, divided by cultivated hectares	120*	146	134.58
<i>Variety Characteristic</i>			
Ratio of coefficients of yield variation, modern varieties to landraces	0.83**	1.14	1.00
Market characteristics			
Total walking distance from house to local market (minutes)	163**	340	255.14

Note: Pairwise t-tests show significant difference of means at $P < 1\%$ (**) and $P < 5\%$ (*) between Kaski and Bara Ecosites with 2-tailed test, equal variance assumed.

While the survey yielded a large number of possible explanatory variables, a parsimonious model was necessary because of few observations. Problems of non-convergence also occurred in the full information maximum likelihood iterations. The adoption literature offers a wide range of possible theoretical explanations for seed choice; only a few are presented here because of the emphasis on a two-stage simultaneous model. Asterisks indicate when there is a significant difference in means between the two regions.

Household characteristics affect variety choice both through preferences and the household-specific costs of market transaction, as well as through labor stocks and

opportunity costs. Age and the gender composition of households affect variety choice through preferences and cultivation experience. The age of production decision-makers may be positively related to growing certain rice varieties since older farmers have longer experience with a greater range of rice materials, and particularly landraces. Similarly, active adult labor on-farm is hypothesized to have a positive effect on growing landraces. Some landraces may require greater labor inputs, and growing and storing the seed of multiple landraces requires more labor than specialization in a single variety. The proportion of active working females is thought to relate positively to growing certain landraces through preferences for consumption attributes. An earlier study by the project team revealed a greater role of women on rice seed maintenance and cultivation, particularly for landraces (Subedi et al, 2000).

Two economic variables were carefully constructed in order to model wealth and income, in order to avoid hazards of endogeneity between seed choices and economic choices. Total asset value was constructed from an index of household durable goods and is used as a proxy for household wealth. The effect of wealth could be negative if households substitute modern varieties for landrace production, or positive if landraces represent a luxury good in consumption. Current income is proxied by a variable constructed from average monthly household expenditures in the period preceding the growing season. On one hand, cash income enhances farmers' capacity to hire labor and purchase inputs in order to engage in a wider range of activities. On the other hand, it may imply that households are allocating household labor to non-farm activities or specializing in the production of a few modern varieties for the market.

Farm physical characteristics include farm fragmentation and land heterogeneity measured by the number of land types, distances among rice plots, and the percent of rice area irrigated. The more heterogeneous the conditions in which farmers' cultivate the crop, the greater the chances that locally-adapted landraces will need to be grown. Heterogeneity leads farmers to choose a broader set of varieties to suit multiple classes of farm land and seasonal niches (Bellon and Taylor 1994). Thus farmers are expected to maintain landraces when they own and cultivate different land types. The ratio of total rice plot distance to total cultivated hectare is a measure of dispersion of rice plots around homesteads, or fragmentation. Since total farm plot distance was highly correlated with area cultivated, the two variables were combined into one to capture the effect of scattered plots while controlling for total hectares cultivated. The percent of rice area that is irrigated affects rice production potential by improving moisture availability and is expected to lead to the loss of landraces as modern varieties dominate in irrigated regions.

For the first stage landrace planting equation, a proxy variable was created to account for the potential increase in yield variability from modern varieties. Expected yields and variances were calculated from triangular yield distributions elicited from farmers by variety (Hardaker, Huirne, and Anderson 1997). The coefficient of yield variation corrects yield variances for differences in expected yield levels. The ratio of coefficients of yield variation for modern varieties and landraces expresses the increase in variability farmers perceive in modern varieties, adjusted for expected yield levels. Since farmer perceptions depend on their own management and growing conditions, the ratio was constructed from the predicted values of an auxiliary regression of yield moments on

household and farm characteristics. (Variables in the auxiliary regression included ecosite dummy, age and education of household head, family members available for agricultural work, availability of irrigation.)

The effect of this variable is expected to be positive, suggesting that farmers who perceive greater yield variability in modern varieties will continue to plant landraces. The values of the summary statistics are useful in interpreting the variable. In the entire sample the average is one, suggesting that farmers perceive the variation of the landraces and modern varieties equally at the mean. More importantly, in the agronomically favored ecosite of Bara, the mean value of the ratio is 0.83, while in the more marginal environment of Kaski, the mean value is 1.14. As expected, modern varieties are perceived as less risky in the better environment where adoption rates are high, and they are perceived as more risky in the more difficult environment where landraces are still grown by the vast majority of households.

Market variables affect the likelihood that farmers grow landraces through the extent to which households trade their rice crop and purchase inputs, foods and other household needs in the market. The distance of the market from the homestead is a major component of the cost of engaging in market transactions. The more removed a household is from a local market center, the more likely it is to rely on its own production from local landraces to meet its consumption needs. Observed market prices (p) vary at the community level (not the household level), and thus were excluded from the analysis.

5. RESULTS

The first stage estimation included all 307 households and the second stage includes only the 172 households who planted landraces, but the equations are estimated jointly because the error terms in the two processes are thought to be correlated. The full information maximum likelihood estimation was performed in Stata with the landrace equation as the selection equation.

Results for the first stage, selection equation are presented in Table 4.

Table 4--Probit Regression – Probability of Planting Landraces

	Coeff.	T-stat	Coeff.	T-stat
Kaski ecosite dummy	1.2483	6.01 ***		
Age of production decision maker	-0.0070	-1.16	-0.0336	-7.02 ***
Adults working on-farm	0.0926	2.10 **	0.0899	2.26 **
Total asset value	0.0000	0.97	0.0000	1.26
Income	0.0001	1.46	0.0001	2.71 ***
Percent rice area under irrigation	0.2585	1.65 *	0.8078	6.05 ***
Distance to rice plot	0.0009	1.82 *	0.0007	1.46
Increased Yield Variation of MVs	0.1175	0.23	3.1760	9.87 ***
Distance to local market	0.0002	0.60	0.0005	2.00 **
Constant	-6.846	-6.01 ***	-7.165	-7.74 ***
N	307		307	
Log-Likelihood	-51.8		-79.9	
Pseudo-RSq.	0.75		0.62	

Note: Marginal effects reported.

The first two columns in Table 4 present the estimated coefficients from a univariate regression of the explanatory variables on the categorical variable for planting landraces, controlling for ecosite location. The second set of columns presents the results of the same regression without the site variable. Location in Kaski has an overwhelming effect on the regression because almost all landraces planted are in Kaski, both in terms of statistical significance and the magnitude of the effect. The pooled regression reveals cross-ecosite information of empirical interest, although for statistical

reasons, the regression controlling for ecosite effects was used in the bivariate formulation.

The findings are compelling evidence that different factors affect the decision to plant landraces and the decision to plant diverse, adaptable or rare landraces. In the first stage, variables for the geographic site, the number of family members working on the farm, and the percent of irrigated land are found to significantly increase the probability of planting landraces. The marginal effect of irrigated land is very large. Family labor use has been linked to diversity in other studies (Benin et al. 2004; Gauchan 2004), and may reflect the labor intensive nature of growing landraces.

At first glance, the positive coefficient on irrigated land conflicts with the stylized facts of the green revolution. Landraces are believed to be at a disadvantage in areas where moisture conditions are more uniform. In the study sites, certain landraces in the study sites are varieties of paddy rice, however. The variable for plot distance is also positive and statistically significant, indicating that farm fragmentation can lead to an increase in the probability of planting landraces.

More of the individual regression coefficients are statistically significant in the pooled regression, but the overall performance of the model is worse. In addition to family labor and the share of rice area under irrigation, other factors influence the decision to plant landraces across the two ecosites. Contrary to findings reported in several other studies (Van Dusen 2000; Birol 2004), when both sites are considered, younger farmers appear to be those that continue to plant landraces. A higher level of current, cash income leads to a greater probability that landraces are planted. This finding suggests that households may be growing landraces for consumption even as their ability

to purchase other foods rises, indicating that rice products made from landraces are not inferior goods. The relative variability of modern varieties has no statistical significance when controlling for ecosite, but has the expected sign when both hillside and plain ecosites are considered. As the yield of modern varieties varies more, the probability of planting landraces increases—confirming the findings reported in Table 3, where variability of modern varieties is shown to be much higher relative to landraces in the Kaski site. The isolation of the household from the market has the expected positive and significant sign. As demonstrated repeatedly, remoteness increases the chances that farmers continue to plant landraces (Brush, Bellon and Taylor 1992; Meng 1997; Van Dusen 2000; Gauchan 2004; Birol 2004).

The bivariate regression generates three selection equations, each paired to a second stage regression. Coefficients in the bivariate selection equations are not presented to avoid redundancy. Second stage findings for the three bivariate probit regressions are presented in Table 5.

Table 5--Bivariate Probit with Selection – Probability of planting landrace subsets, by conservation goal

	Adaptability		Diversity		Rarity	
Age of PDM	0.0028	0.73	0.0003	-0.08	0.0021	-1.35
Percent female workers	-0.1286	-0.46	-0.2718	-0.86	0.4158	2.45 **
Adults working on-farm	0.0681	2.63 ***	0.0514	3.38 ***	0.0166	1.01
Total Assets Value	0.0000	1.18	0.0000	1.46	0.0000	-0.39
Income	0.0000	-0.56	-0.0001	-1.94 *	0.0000	-0.99
Number of rice land types	-0.0234	-0.58	-0.1170	-1.76 *	0.0854	2.08 **
Distance to rice plot	0.0010	2.56 **	0.0000	-0.03	0.0002	1.22
Distance to local market	0.0006	2.47 **	0.0007	5.83 ***	0.0003	3.28 ***
Constant	0.0028	-1.52	0.0003	0.25	0.0021	-3.05 ***
N	172		172		172	
Log-Likelihood	-112.55		-138.23		-118.00	
χ^2 Test of Rho	35.98 ***		17.95 ***		1.59	

Note: Marginal effects reported. * significant at 0.10 % level, ** significant at 0.05% level, *** significant at 0.01% level

Statistical results can be used in Stata to construct a robust variance-covariance matrix to account for cross equation correlations, even though the three probit regressions were not estimated jointly. The t-statistics and significance levels reported in Table 5 have been calculated with the “Seemingly Unrelated Estimation” Stata procedure. Diagnostic tests for the model are reported at the base of the table. Likelihood ratio tests (χ -squared tests of rho) for the conservation criteria of diversity and adaptability indicate that the bivariate specification is correct, but the same is not true for the rarity criterion. In other words, the data support the hypothesis that the correlation between the first and second stage equations is significant in two of the three decision processes.

In the second stage, in each of the three regressions, the variable for distance to markets, used as a proxy for transactions costs, is again found to be statistically significant, with large magnitudes. Clearly market isolation is a strong

criterion for targeting households in conservation programs. When specific landraces such as those with rare populations are considered, the participation of women in rice production is a positive and significant factor with a large marginal effect, supporting the findings of other researchers in these study sites that women play a key role in rice seed selection (Subedi et al. 2000). In the case of landraces with diverse or adaptable populations, the effect of greater availability of family labor in farming is positive, relatively large, and statistically significant, consistent with the hypothesis that landraces of interest may be labor intensive. The coefficient for the variable for multiple land types is also positive, significant and relatively large in the rarity and diversity regressions. The degree of fragmentation (distance) is positively associated with the propensity to grow landraces with adaptive traits. Households appear to match varieties to specific agronomic conditions found in individual plots. The coefficient on the land types changes sign in the diversity regression, indicating a potential tradeoff in targeting conservation efforts. For example, some agronomic conditions can increase the probability that farmers plant a landrace of importance for one conservation criterion, while decreasing the chances that they continue to grow a landrace satisfying another criterion. Income is associated negatively with the propensity to grow heterogeneous landraces, and has no effect on the probabilities of growing other types, although it is positively related to growing landraces, in general. Preferences for growing this subset of more heterogeneous landraces may not be associated with the same income effect as is found with other landraces. Promoting their conservation might entail some trade-offs in terms of other landraces, or vice versa.

Additional insights can be gained by using the results of the fitted model to examine the rice diversity patterns on the farms of households with high predicted probabilities of growing landraces. Households with predicted probabilities of growing landraces that exceed 80% were identified from the bivariate regression output, according to each conservation criterion. Indices of spatial diversity (richness, evenness, and inverse dominance metrics) were then constructed and summarized for each group of households, by conservation criterion. Means are presented in Table 6, where they are compared with the mean for the entire sample of households.

Table 6--Spatial diversity of rice varieties on farms of households with high probabilities of growing landrace subsets, by conservation goal

	Entire Sample	Adaptability	Diversity	Rarity
<i>Number of Households</i>	307	33	26	5
Richness (Count of varieties)				
	2.84	5.55	5.69	7.6
Diversity (Shannon Index)	0.69	1.24	1.19	1.45
Inverse Dominance (Berger-Parker Index)				
	1.74	2.32	2.24	2.8

For all indices the high probability households are significantly higher than the total sample, notation for individual t-stats is not included.

The spatial diversity indices shown in Table 6 are applications of ecological measurement techniques to crop plantings. The richness index is a count of the number of varieties planted. The Shannon index is adapted from information theory, measuring both richness and evenness, calculated from the proportions of farm rice area planted to each variety. The index of inverse dominance, calculated here as a Berger-Parker index, is a measure of the degree to which farm rice area is distributed among different varieties rather than dominated by a single variety.

In all cases the count or area diversity for each subset is significantly higher than for the sample as a whole. This finding is of methodological and policy interest. Spatial diversity indices have been used as the unit of analysis in related empirical studies. These indices and the rice scientist criteria used in this paper represent alternative, potentially competing criteria for on farm conservation programs. In fact, no trade-offs are visible in these communities when the conservation goal is to maintain rice diversity by targeting households with the lowest opportunity costs. Households with a high probability of planting any of the landraces identified as contributing genetic diversity for crop improvement also have a higher level of spatial diversity among rice varieties.

7. CONCLUSION

This case study illustrates one way that economics research can contribute practically in designing community-based programs to manage on-farm genetic resources in a sustainable way. Local farmers, rice geneticists, social scientists, and policy-makers interacted closely during the research project. The approach combines data from sample surveys undertaken with the farmers who manage rice landraces on farms and focus groups implemented with the rice breeders and conservationists who will use these resources for crop improvement.

Factors identified as significant and the directions of effect are broadly consistent with those presented by other researchers who have used similar methods to study on farm management of other crop landraces. The intensity of family labor is fundamental to landrace planting, perhaps due to some specific qualities of landrace cultivation that require extra quality in planting and care. Distance to markets drives whether landraces

of interest for conservation are planted, though in the communities studied, it has a negligible effect on whether farms plant landraces at all. Farm fragmentation, numbers of different soil types, and irrigation have important effects—although in this case, many landraces are paddy types.

The econometric approach treats simultaneously two decisions that drive the loss of local crop biodiversity: the decision to plant landraces, and the decision to plant the specific landraces that are identified as potentially valuable for crop improvement. Previous studies modeled either decision or both as a single process. The findings provide compelling evidence that the two decisions are generated by different underlying processes, although two of the three are interrelated. Some factors influencing the decision to grow one type of landrace (e.g. one that is more heterogeneous) differ from those that affect the decision to grow other types (e.g., rare landraces), although opposing effects generally are not statistically significant. The implication of the analysis is that depending on the criteria adopted by an on-farm conservation program, differential impact among landraces may need to be taken into account.

Post-estimation calculations confirm that farmers who are most likely to grow landraces identified as important for crop improvement are also those that maintain greater richness and evenness in the area they allocate among rice varieties. There are no apparent trade-offs among the various conservation criteria, including those developed from focus group interviews with rice scientists and those based on indices of spatial diversity, frequently applied in other studies. Given this finding, few social costs would appear be associated with following a program that employs one of these criteria as

compared to another. Still, our results are context-specific and potential trade-offs in conservation criteria will need to be assessed on a per case basis.

REFERENCES

- Bellon, M.R. and J.E. Taylor. 1993. Folk soil taxonomy and the partial adoption of new seed varieties. *Economic Development and Cultural Change* 41: 763-786.
- Benin, S., M. Smale, J. Pender, B. Gebremedhin and S. Ehui. 2004. The economic determinants of cereal crop diversity on farms in the Ethiopian Highlands. *Agricultural Economics* 31: 197-208.
- Birol, E. 2004. *Valuing agricultural biodiversity on home gardens in Hungary: An application of stated and revealed preference methods*. London, UK: University College London, University of London,.
- Boyles, W. J., D.L. Hoffman, and S. A. Low, 1989. An econometric analysis of the bank credit scoring problem”, *Journal of Econometrics* 40: 3-14.
- Brock W.A and Xepapadeas, A. 2003. Valuing Biodiversity from an Economic Perspective: A Unified Economic, Ecological, and Genetic Approach. *The American Economic Review* 93: 1597-1614.
- Brush, S. 2004. *Farmers' Bounty Locating Crop Diversity in the Contemporary World* Yale University Press, New Haven.
- Brush, S. B., Taylor, J. E., and Bellon, M. R. 1992. Biological diversity and technology adoption in Andean potato agriculture. *Journal of Development Economics* 39 365-387.
- Chaudhary, P., D. Gauchan, R. B. Rana, B. R. Sthapit, D. I. Jarvis. 2004. Potential loss of rice landraces from a Terai community in Nepal: A case study from Kachorwa, Bara. *PGR Newsletter* 137. Rome: IPGRI
- Feder, G., R. Just and D. Zilberman. 1985. Adoption of agricultural innovations in developing countries: A survey. *Econ. Dev. and Cult. Change* 33: 255-297.
- Frankel, O.H. 1970. Genetic dangers of the Green Revolution. *World Agriculture* 19: 9-14.
- Gauchan, D. 2004. Conserving crop genetic resources on-farm: The case of rice in Nepal. PhD dissertation, University of Birmingham.
- Gauchan, D. M. Smale, P. Chaudhary. 2005. Market-based incentives for conserving diversity on farms: The case of rice landraces in Central Tarai, Nepal. *Genetic Resources and Crop Evolution* 52: 293-303
- Greene W.H., 2000. *Econometric analysis*. Fourth Edition. Prentice Hall. USA.

- Hardaker, J., R. Huirne, and J. Anderson. 1997. *Coping with risk in Agriculture*. CAB International.
- Harlan, J.R. 1972. Genetics of disaster. *Journal of Environmental Quality* 1 (3): 212-215.
- Just, R.E. and D. Zilberman. 1983. Stochastic structure, farm size and technology adoption in developing agriculture. *Oxford Econ. Pap.* 35: 28-37.
- Magurran A.E., 1988. ecological diversity and its measurement. Princeton, N.J. Princeton University Press.
- Meng, E. 1997. Land allocation decisions and *in situ* conservation of crop genetic resources: The case of wheat landraces in Turkey. Doctoral dissertation. University of California-Davis.
- Meng, E.C.H., M. Smale, M. Bellon and D. Grimanelli, 1998. Definition and measurement of crop diversity for economic analysis. In *Farmers, gene banks and crop breeding: economic analysis of diversity in wheat, maize and rice*, ed. Smale, M. Norwell, USA; Kulwer Academic Publishers (1998) xvi 270 pages. CIMMYT-Mexico.
- Shrestha, G.L. and Vaughan, D.A. 1989. Wild rice in Nepal. Paper presented in the Third Summer Crop Working Group Meeting, National Maize Research Program, Rampur, Chitwan, National Agricultural Research Centre (NARC), Nepal.
- Singh, I., L. Squire, and J. Strauss, eds. eds. 1986. Agricultural household models: Extensions, applications, and policy. The World Bank and Johns Hopkins University Press, Washington D.C., and Baltimore.
- Smale, M., M. Bellon, and A. Aguirre. 2001. Maize diversity, variety attributes, and farmers' choices in Southeastern Guanajuato, Mexico. *Economic Development and Cultural Change* 50 (1): 201-225.
- Subedi, A, P. Chaudhary, B. Baniya, R.B. Rana, R.K. Tiwari, D.K. Rijal, D. Jarvis, and B.R. Sthapit. 2002. Who maintains genetic diversity and how? Policy implications for agrobiodiversity management. In: *Nepal's contribution to agrobiodiversity conservation in-situ: a scientific basis for policy recommendation*, ed. Gauchan, D. and BR Sthapit. IPGRI/NARC/LIBIRD.
- Subedi, A., D. Gauchan, R.B. Rana, S.N. Vaidya, P.R. Tiwari and P. Chaudhary. 2000. Gender: Methods for increased access and decision making in Nepal. In *Conserving agricultural biodiversity In situ: A scientific basis for sustainable agriculture*, ed. D. Jarvis, B. Sthapit and L. Sears. Rome, Italy: .IPGRI.

- Upadhyay, M.P. and S.R. Gupta. 2000. The wild relatives of rice in Nepal. In *Environment and agriculture: At the crossroad of the new millennium*, ed. Jha, P.K. S.B. Karmacharya, S.R. Baral, and P. Lacoul. Kathmandu, Nepal: Ecological Society.
- Van de Ven, P.M.M. Wynand, and B.M.S. Van Praag. 1981. The demand for deductibles in private health insurance: A probit model with sample selection. *Journal of Econometrics* 17: 229-252.
- Van Dusen, E. 2000. *In situ* conservation of crop genetic resources in Mexican Milpa systems. PhD Thesis. Davis, California, USA: University of California, Davis, ..
- Van Dusen, E. and J. E. Taylor 2003. Missing markets and crop genetic resources: Evidence from Mexico. A Manuscript. Berkeley, California: University of California, Berkeley.
- Vaughan, D. and T.T. Chang. 1992. *In situ* conservation of rice genetic resources. *Economic Botany* 46: 369-383.
- World Bank, World Development Indicators 2003. Washington, D.C.: World Bank.

EPTD DISCUSSION PAPERS

LIST OF EPTD DISCUSSION PAPERS

- 01 Sustainable Agricultural Development Strategies in Fragile Lands, by Sara J. Scherr and Peter B.R. Hazell, June 1994.
- 02 Confronting the Environmental Consequences of the Green Revolution in Asia, by Prabhu L. Pingali and Mark W. Rosegrant, August 1994.
- 03 Infrastructure and Technology Constraints to Agricultural Development in the Humid and Subhumid Tropics of Africa, by Dunstan S.C. Spencer, August 1994.
- 04 Water Markets in Pakistan: Participation and Productivity, by Ruth Meinzen-Dick and Martha Sullins, September 1994.
- 05 The Impact of Technical Change in Agriculture on Human Fertility: District-level Evidence from India, by Stephen A. Vosti, Julie Witcover, and Michael Lipton, October 1994.
- 06 Reforming Water Allocation Policy through Markets in Tradable Water Rights: Lessons from Chile, Mexico, and California, by Mark W. Rosegrant and Renato Gazri S, October 1994.
- 07 Total Factor Productivity and Sources of Long-Term Growth in Indian Agriculture, by Mark W. Rosegrant and Robert E. Evenson, April 1995.
- 08 Farm-Nonfarm Growth Linkages in Zambia, by Peter B.R. Hazell and Behjat Hoijadi, April 1995.
- 09 Livestock and Deforestation in Central America in the 1980s and 1990s: A Policy Perspective, by David Kaimowitz (Interamerican Institute for Cooperation on Agriculture. June 1995.
- 10 Effects of the Structural Adjustment Program on Agricultural Production and Resource Use in Egypt, by Peter B.R. Hazell, Nicostrato Perez, Gamal Siam, and Ibrahim Soliman, August 1995.

EPTD DISCUSSION PAPERS

- 11 Local Organizations for Natural Resource Management: Lessons from Theoretical and Empirical Literature, by Lise Nordvig Rasmussen and Ruth Meinzen-Dick, August 1995.
- 12 Quality-Equivalent and Cost-Adjusted Measurement of International Competitiveness in Japanese Rice Markets, by Shoichi Ito, Mark W. Rosegrant, and Mercedita C. Agcaoili-Sombilla, August 1995.
- 13 Role of Inputs, Institutions, and Technical Innovations in Stimulating Growth in Chinese Agriculture, by Shenggen Fan and Philip G. Pardey, September 1995.
- 14 Investments in African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, and Nienke Beintema, October 1995.
- 15 Role of Terms of Trade in Indian Agricultural Growth: A National and State Level Analysis, by Peter B.R. Hazell, V.N. Misra, and Behjat Hoiijati, December 1995.
- 16 Policies and Markets for Non-Timber Tree Products, by Peter A. Dewees and Sara J. Scherr, March 1996.
- 17 Determinants of Farmers' Indigenous Soil and Water Conservation Investments in India's Semi-Arid Tropics, by John Pender and John Kerr, August 1996.
- 18 Summary of a Productive Partnership: The Benefits from U.S. Participation in the CGIAR, by Philip G. Pardey, Julian M. Alston, Jason E. Christian, and Shenggen Fan, October 1996.
- 19 Crop Genetic Resource Policy: Towards a Research Agenda, by Brian D. Wright, October 1996.
- 20 Sustainable Development of Rainfed Agriculture in India, by John M. Kerr, November 1996.
- 21 Impact of Market and Population Pressure on Production, Incomes and Natural Resources in the Dryland Savannas of West Africa: Bioeconomic Modeling at the Village Level, by Bruno Barbier, November 1996.
- 22 Why Do Projections on China's Future Food Supply and Demand Differ? by Shenggen Fan and Mercedita Agcaoili-Sombilla, March 1997.

EPTD DISCUSSION PAPERS

- 23 Agroecological Aspects of Evaluating Agricultural R&D, by Stanley Wood and Philip G. Pardey, March 1997.
- 24 Population Pressure, Land Tenure, and Tree Resource Management in Uganda, by Frank Place and Keijiro Otsuka, March 1997.
- 25 Should India Invest More in Less-favored Areas? by Shenggen Fan and Peter Hazell, April 1997.
- 26 Population Pressure and the Microeconomy of Land Management in Hills and Mountains of Developing Countries, by Scott R. Templeton and Sara J. Scherr, April 1997.
- 27 Population Land Tenure and Natural Resource Management: The Case of Customary Land Area in Malawi, by Frank Place and Keijiro Otsuka, April 1997.
- 28 Water Resources Development in Africa: A Review and Synthesis of Issues, Potentials, and Strategies for the Future, by Mark W. Rosegrant and Nicostrato D. Perez, September 1997.
- 29 Financing Agricultural R&D in Rich Countries: What's Happening and Why? by Julian M. Alston, Philip G. Pardey, and Vincent H. Smith, September 1997.
- 30 How Fast Have China's Agricultural Production and Productivity Really Been Growing? by Shenggen Fan, September 1997.
- 31 Does Land Tenure Insecurity Discourage Tree Planting? Evolution of Customary Land Tenure and Agroforestry Management in Sumatra, by Keijiro Otsuka, S. Suyanto, and Thomas P. Tomich, December 1997.
- 32 Natural Resource Management in the Hillsides of Honduras: Bioeconomic Modeling at the Micro-Watershed Level, by Bruno Barbier and Gilles Bergeron, January 1998.
- 33 Government Spending, Growth, and Poverty: An Analysis of Interlinkages in Rural India, by Shenggen Fan, Peter Hazell, and Sukhadeo Thorat, March 1998. Revised December 1998.

EPTD DISCUSSION PAPERS

- 34 Coalitions and the Organization of Multiple-Stakeholder Action: A Case Study of Agricultural Research and Extension in Rajasthan, India, by Ruth Alsop, April 1998.
- 35 Dynamics in the Creation and Depreciation of Knowledge and the Returns to Research, by Julian Alston, Barbara Craig, and Philip Pardey, July 1998.
- 36 Educating Agricultural Researchers: A Review of the Role of African Universities, by Nienke M. Beintema, Philip G. Pardey, and Johannes Roseboom, August 1998.
- 37 The Changing Organizational Basis of African Agricultural Research, by Johannes Roseboom, Philip G. Pardey, and Nienke M. Beintema, November 1998.
- 38 Research Returns Redux: A Meta-Analysis of the Returns to Agricultural R&D, by Julian M. Alston, Michele C. Marra, Philip G. Pardey, and T.J. Wyatt, November 1998.
- 39 Technological Change, Technical and Allocative Efficiency in Chinese Agriculture: The Case of Rice Production in Jiangsu, by Shenggen Fan, January 1999.
- 40 The Substance of Interaction: Design and Policy Implications of NGO-Government Projects in India, by Ruth Alsop with Ved Arya, January 1999.
- 41 Strategies for Sustainable Agricultural Development in the East African Highlands, by John Pender, Frank Place, and Simeon Ehui, April 1999.
- 42 Cost Aspects of African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, Nienke M. Beintema, and Connie Chan-Kang, April 1999.
- 43 Are Returns to Public Investment Lower in Less-favored Rural Areas? An Empirical Analysis of India, by Shenggen Fan and Peter Hazell, May 1999.
- 44 Spatial Aspects of the Design and Targeting of Agricultural Development Strategies, by Stanley Wood, Kate Sebastian, Freddy Nachtergaele, Daniel Nielsen, and Aiguo Dai, May 1999.

EPTD DISCUSSION PAPERS

- 45 Pathways of Development in the Hillside of Honduras: Causes and Implications for Agricultural Production, Poverty, and Sustainable Resource Use, by John Pender, Sara J. Scherr, and Guadalupe Durón, May 1999.
- 46 Determinants of Land Use Change: Evidence from a Community Study in Honduras, by Gilles Bergeron and John Pender, July 1999.
- 47 Impact on Food Security and Rural Development of Reallocating Water from Agriculture, by Mark W. Rosegrant and Claudia Ringler, August 1999.
- 48 Rural Population Growth, Agricultural Change and Natural Resource Management in Developing Countries: A Review of Hypotheses and Some Evidence from Honduras, by John Pender, August 1999.
- 49 Organizational Development and Natural Resource Management: Evidence from Central Honduras, by John Pender and Sara J. Scherr, November 1999.
- 50 Estimating Crop-Specific Production Technologies in Chinese Agriculture: A Generalized Maximum Entropy Approach, by Xiaobo Zhang and Shenggen Fan, September 1999.
- 51 Dynamic Implications of Patenting for Crop Genetic Resources, by Bonwoo Koo and Brian D. Wright, October 1999.
- 52 Costing the Ex Situ Conservation of Genetic Resources: Maize and Wheat at CIMMYT, by Philip G. Pardey, Bonwoo Koo, Brian D. Wright, M. Eric van Dusen, Bent Skovmand, and Suketoshi Taba, October 1999.
- 53 Past and Future Sources of Growth for China, by Shenggen Fan, Xiaobo Zhang, and Sherman Robinson, October 1999.
- 54 The Timing of Evaluation of Genebank Accessions and the Effects of Biotechnology, by Bonwoo Koo and Brian D. Wright, October 1999.
- 55 New Approaches to Crop Yield Insurance in Developing Countries, by Jerry Skees, Peter Hazell, and Mario Miranda, November 1999.
- 56 Impact of Agricultural Research on Poverty Alleviation: Conceptual Framework with Illustrations from the Literature, by John Kerr and Shashi Kolavalli, December 1999.

EPTD DISCUSSION PAPERS

- 57 Could Futures Markets Help Growers Better Manage Coffee Price Risks in Costa Rica? by Peter Hazell, January 2000.
- 58 Industrialization, Urbanization, and Land Use in China, by Xiaobo Zhang, Tim Mount, and Richard Boisvert, January 2000.
- 59 Water Rights and Multiple Water Uses: Framework and Application to Kirindi Oya Irrigation System, Sri Lanka, by Ruth Meinzen-Dick and Margaretha Bakker, March 2000.
- 60 Community natural Resource Management: The Case of Woodlots in Northern Ethiopia, by Berhanu Gebremedhin, John Pender and Girmay Tesfaye, April 2000.
- 61 What Affects Organization and Collective Action for Managing Resources? Evidence from Canal Irrigation Systems in India, by Ruth Meinzen-Dick, K.V. Raju, and Ashok Gulati, June 2000.
- 62 The Effects of the U.S. Plant Variety Protection Act on Wheat Genetic Improvement, by Julian M. Alston and Raymond J. Venner, May 2000.
- 63 Integrated Economic-Hydrologic Water Modeling at the Basin Scale: The Maipo River Basin, by M. W. Rosegrant, C. Ringler, DC McKinney, X. Cai, A. Keller, and G. Donoso, May 2000.
- 64 Irrigation and Water Resources in Latin America and the Caribbean: Challenges and Strategies, by Claudia Ringler, Mark W. Rosegrant, and Michael S. Paisner, June 2000.
- 65 The Role of Trees for Sustainable Management of Less-favored Lands: The Case of Eucalyptus in Ethiopia, by Pamela Jagger & John Pender, June 2000.
- 66 Growth and Poverty in Rural China: The Role of Public Investments, by Shenggen Fan, Linxiu Zhang, and Xiaobo Zhang, June 2000.
- 67 Small-Scale Farms in the Western Brazilian Amazon: Can They Benefit from Carbon Trade? by Chantal Carpentier, Steve Vosti, and Julie Witcover, September 2000.
- 68 An Evaluation of Dryland Watershed Development Projects in India, by John Kerr, Ganesh Pangare, Vasudha Lokur Pangare, and P.J. George, October 2000.

- 69 Consumption Effects of Genetic Modification: What If Consumers Are Right?
by Konstantinos Giannakas and Murray Fulton, November 2000.

EPTD DISCUSSION PAPERS

- 70 South-North Trade, Intellectual Property Jurisdictions, and Freedom to Operate in Agricultural Research on Staple Crops, by Eran Binenbaum, Carol Nottenburg, Philip G. Pardey, Brian D. Wright, and Patricia Zambrano, December 2000.
- 71 Public Investment and Regional Inequality in Rural China, by Xiaobo Zhang and Shenggen Fan, December 2000.
- 72 Does Efficient Water Management Matter? Physical and Economic Efficiency of Water Use in the River Basin, by Ximing Cai, Claudia Ringler, and Mark W. Rosegrant, March 2001.
- 73 Monitoring Systems for Managing Natural Resources: Economics, Indicators and Environmental Externalities in a Costa Rican Watershed, by Peter Hazell, Ujjayant Chakravorty, John Dixon, and Rafael Celis, March 2001.
- 74 Does Quaxi Matter to NonFarm Employment? by Xiaobo Zhang and Guo Li, June 2001.
- 75 The Effect of Environmental Variability on Livestock and Land-Use Management: The Borana Plateau, Southern Ethiopia, by Nancy McCarthy, Abdul Kamara, and Michael Kirk, June 2001.
- 76 Market Imperfections and Land Productivity in the Ethiopian Highlands, by Stein Holden, Bekele Shiferaw, and John Pender, August 2001.
- 77 Strategies for Sustainable Agricultural Development in the Ethiopian Highlands, by John Pender, Berhanu Gebremedhin, Samuel Benin, and Simeon Ehui, August 2001.
- 78 Managing Droughts in the Low-Rainfall Areas of the Middle East and North Africa: Policy Issues, by Peter Hazell, Peter Oram, Nabil Chaherli, September 2001.
- 79 Accessing Other People's Technology: Do Non-Profit Agencies Need It? How To Obtain It, by Carol Nottenburg, Philip G. Pardey, and Brian D. Wright, September 2001.
- 80 The Economics of Intellectual Property Rights Under Imperfect Enforcement: Developing Countries, Biotechnology, and the TRIPS Agreement, by Konstantinos Giannakas, September 2001.

EPTD DISCUSSION PAPERS

- 81 Land Lease Markets and Agricultural Efficiency: Theory and Evidence from Ethiopia, by John Pender and Marcel Fafchamps, October 2001.
- 82 The Demand for Crop Genetic Resources: International Use of the U.S. National Plant Germplasm System, by M. Smale, K. Day-Rubenstein, A. Zohrabian, and T. Hodgkin, October 2001.
- 83 How Agricultural Research Affects Urban Poverty in Developing Countries: The Case of China, by Shenggen Fan, Cheng Fang, and Xiaobo Zhang, October 2001.
- 84 How Productive is Infrastructure? New Approach and Evidence From Rural India, by Xiaobo Zhang and Shenggen Fan, October 2001.
- 85 Development Pathways and Land Management in Uganda: Causes and Implications, by John Pender, Pamela Jagger, Ephraim Nkonya, and Dick Sserunkuuma, December 2001.
- 86 Sustainability Analysis for Irrigation Water Management: Concepts, Methodology, and Application to the Aral Sea Region, by Ximing Cai, Daene C. McKinney, and Mark W. Rosegrant, December 2001.
- 87 The Payoffs to Agricultural Biotechnology: An Assessment of the Evidence, by Michele C. Marra, Philip G. Pardey, and Julian M. Alston, January 2002.
- 88 Economics of Patenting a Research Tool, by Bonwoo Koo and Brian D. Wright, January 2002.
- 89 Assessing the Impact of Agricultural Research On Poverty Using the Sustainable Livelihoods Framework, by Michelle Adato and Ruth Meinzen-Dick, March 2002.
- 90 The Role of Rainfed Agriculture in the Future of Global Food Production, by Mark Rosegrant, Ximing Cai, Sarah Cline, and Naoko Nakagawa, March 2002.
- 91 Why TVEs Have Contributed to Interregional Imbalances in China, by Junichi Ito, March 2002.
- 92 Strategies for Stimulating Poverty Alleviating Growth in the Rural Nonfarm Economy in Developing Countries, by Steven Haggblade, Peter Hazell, and Thomas Reardon, July 2002.

EPTD DISCUSSION PAPERS

- 93 Local Governance and Public Goods Provisions in Rural China, by Xiaobo Zhang, Shenggen Fan, Linxiu Zhang, and Jikun Huang, July 2002.
- 94 Agricultural Research and Urban Poverty in India, by Shenggen Fan, September 2002.
- 95 Assessing and Attributing the Benefits from Varietal Improvement Research: Evidence from Embrapa, Brazil, by Philip G. Pardey, Julian M. Alston, Connie Chan-Kang, Eduardo C. Magalhães, and Stephen A. Vosti, August 2002.
- 96 India's Plant Variety and Farmers' Rights Legislation: Potential Impact on Stakeholders Access to Genetic Resources, by Anitha Ramanna, January 2003.
- 97 Maize in Eastern and Southern Africa: Seeds of Success in Retrospect, by Melinda Smale and Thom Jayne, January 2003.
- 98 Alternative Growth Scenarios for Ugandan Coffee to 2020, by Liangzhi You and Simon Bolwig, February 2003.
- 99 Public Spending in Developing Countries: Trends, Determination, and Impact, by Shenggen Fan and Neetha Rao, March 2003.
- 100 The Economics of Generating and Maintaining Plant Variety Rights in China, by Bonwoo Koo, Philip G. Pardey, Keming Qian, and Yi Zhang, February 2003.
- 101 Impacts of Programs and Organizations on the Adoption of Sustainable Land Management Technologies in Uganda, Pamela Jagger and John Pender, March 2003.
- 102 Productivity and Land Enhancing Technologies in Northern Ethiopia: Health, Public Investments, and Sequential Adoption, Lire Ersado, Gregory Amacher, and Jeffrey Alwang, April 2003.
- 103 Animal Health and the Role of Communities: An Example of Trypanosomosis Control Options in Uganda, by Nancy McCarthy, John McDermott, and Paul Coleman, May 2003.
- 104 Determinantes de Estrategias Comunitarias de Subsistencia y el uso de Prácticas Conservacionistas de Producción Agrícola en las Zonas de Ladera en Honduras, Hans G.P. Jansen, Angel Rodríguez, Amy Damon, y John Pender, Juno 2003.

EPTD DISCUSSION PAPERS

- 105 Determinants of Cereal Diversity in Communities and on Household Farms of the Northern Ethiopian Highlands, by Samuel Benin, Berhanu Gebremedhin, Melinda Smale, John Pender, and Simeon Ehui, June 2003.
- 106 Demand for Rainfall-Based Index Insurance: A Case Study from Morocco, by Nancy McCarthy, July 2003.
- 107 Woodlot Devolution in Northern Ethiopia: Opportunities for Empowerment, Smallholder Income Diversification, and Sustainable Land Management, by Pamela Jagger, John Pender, and Berhanu Gebremedhin, September 2003.
- 108 Conservation Farming in Zambia, by Steven Haggblade, October 2003.
- 109 National and International Agricultural Research and Rural Poverty: The Case of Rice Research in India and China, by Shenggen Fan, Connie Chan-Kang, Keming Qian, and K. Krishnaiah, September 2003.
- 110 Rice Research, Technological Progress, and Impacts on the Poor: The Bangladesh Case (Summary Report), by Mahabub Hossain, David Lewis, Manik L. Bose, and Alamgir Chowdhury, October 2003.
- 111 Impacts of Agricultural Research on Poverty: Findings of an Integrated Economic and Social Analysis, by Ruth Meinzen-Dick, Michelle Adato, Lawrence Haddad, and Peter Hazell, October 2003.
- 112 An Integrated Economic and Social Analysis to Assess the Impact of Vegetable and Fishpond Technologies on Poverty in Rural Bangladesh, by Kelly Hallman, David Lewis, and Suraiya Begum, October 2003.
- 113 Public-Private Partnerships in Agricultural Research: An Analysis of Challenges Facing Industry and the Consultative Group on International Agricultural Research, by David J. Spielman and Klaus von Grebmer, January 2004.
- 114 The Emergence and Spreading of an Improved Traditional Soil and Water Conservation Practice in Burkina Faso, by Daniel Kaboré and Chris Reij, February 2004.
- 115 Improved Fallows in Kenya: History, Farmer Practice, and Impacts, by Frank Place, Steve Franzel, Qureish Noordin, Bashir Jama, February 2004.

EPTD DISCUSSION PAPERS

- 116 To Reach The Poor – Results From The ISNAR-IFPRI Next Harvest Study On Genetically Modified Crops, Public Research, and Policy Implications, by Atanas Atanassov, Ahmed Bahieldin, Johan Brink, Moises Burachik, Joel I. Cohen, Vibha Dhawan, Reynaldo V. Eborá, José Falck-Zepeda, Luis Herrera-Estrella, John Komen, Fee Chon Low, Emeka Omaliko, Benjamin Odhiambo, Hector Quemada, Yufa Peng, Maria Jose Sampaio, Idah Sithole-Niang, Ana Sittenfeld, Melinda Smale, Sutrisno, Ruud Valyasevi, Yusuf Zafar, and Patricia Zambrano, March 2004
- 117 Agri-Environmental Policies In A Transitional Economy: The Value of Agricultural Biodiversity in Hungarian Home Gardens, by Ekin Birol, Melinda Smale, And Ágnes Gyovai, April 2004.
- 118 New Challenges in the Cassava Transformation in Nigeria and Ghana, by Felix Nweke, June 2004.
- 119 International Exchange of Genetic Resources, the Role of Information and Implications for Ownership: The Case of the U.S. National Plant Germplasm System, by Kelly Day Rubenstein and Melinda Smale, June 2004.
- 120 Are Horticultural Exports a Replicable Success Story? Evidence from Kenya and Côte d'Ivoire, by Nicholas Minot and Margaret Ngigi, August 2004.
- 121 Spatial Analysis of Sustainable Livelihood Enterprises of Uganda Cotton Production, by Liangzhi You and Jordan Chamberlin, September 2004
- 122 Linkages between Poverty and Land Management in Rural Uganda: Evidence from the Uganda National Household Survey 1999/00, by John Pender, Sarah Ssewanyana, Kato Edward, and Ephraim Nkonya, September 2004.
- 123 Dairy Development in Ethiopia, by Mohamed A.M. Ahmed, Simeon Ehui, and Yemesrach Assefa, October 2004.
- 124 Spatial Patterns of Crop Yields in Latin America and the Caribbean, by Stanley Wood, Liangzhi You, and Xiaobo Zhang, October 2004.
- 125 Variety Demand within the Framework of an Agricultural Household Model with Attributes: The Case of Bananas in Uganda, by Svetlana Edmeades, Melinda Smale, Mitch Renkow and Dan Phaneuf, November 2004.

EPTD DISCUSSION PAPERS

- 126 Assessing the Spatial Distribution of Crop Production Using a Cross-Entropy Method, Liangzhi You and Stanley Wood, November 2004.
- 127 Water Allocation Policies for the Dong Nai River Basin in Vietnam: An Integrated Perspective, by Claudia Ringler and Nguyen Vu Huy, December 2004.
- 128 Participation of Local People in Water Management: Evidence from the Mae Sa Watershed, Northern Thailand, by Helene Heyd and Andreas Neef, December 2004.
- 129 Improved Water Supply in the Ghanaian Volta Basin: Who Uses it and Who Participates in Community Decision-Making? by Stefanie Engel, Maria Iskandarani, and Maria del Pilar Useche, January 2005.
- 130 Improved Fallows in Eastern Zambia: History, Farmer Practice and Impacts, by Freddie Kwesiga, Steven Franzel, Paramu Mafongoya, Olu Ajayi, Donald Phiri, Roza Katanga, Elias Kuntashula, Frank Place, and Teddy Chirwa, February 2005.
- 131 The Case of Smallholder Dairying in Eastern Africa, by Margaret Ngigi, February 2005.
- 132 Incorporating Project Uncertainty in Novel Environmental Biotechnologies: Illustrated Using Phytoremediation, by Nicholas A. Linacre, Steven N. Whiting, and J. Scott Angle, May 2005.
- 133 Ecological Risks of Novel Environmental Crop Technologies Using Phytoremediation as an Example, by J. Scott Angle and Nicholas A. Linacre, May 2005.
- 134 Policy Options for Increasing Crop Productivity and Reducing Soil Nutrient Depletion and Poverty in Uganda, Ephraim Nkonya, John Pender, Crammer Kaizzi, Kato Edward, and Samuel Mugarura, March 2005.
- 135 Local Seed Systems and Village-Level Determinants of Millet Crop Diversity in Marginal Environments of India, by Latha Nagarajan and Melinda Smale, June 2005.

EPTD DISCUSSION PAPERS

- 136 The Emergence of Insect Resistance in Bt-Corn: Implication of Resistance Management Information under Uncertainty, by Nicholas A. Linacre and Colin J. Thompson, June 2005.
- 137 Incorporating Collateral Information Using an Adaptive Management Framework for the Regulation of Transgenic Crops, by Nicholas Linacre, Mark A. Burgman, Peter K. Ades, And Allen Stewart-Oaten, August 2005.
- 138 Security Analysis for Agroterrorism: Applying the Threat, Vulnerability, Consequence Framework to Developing Countries, by Nicholas A. Linacre, Joanne Gaskell, Mark W. Rosegrant, Jose Falck-Zepeda, Hector Quemada, Mark Halsey, and Regina Birner, August 2005.
- 139 Comparing Farm and Village-Level Determinants of Millet Diversity in Marginal Environments of India: The Context of Seed Systems, Latha Nagarajan, Melinda Smale, and Paul Glewwe, August 2005.
- 140 Analysis for Biotechnology Innovations Using Strategic Environmental Assessment (SEA), by Nicholas A. Linacre, Joanne Gaskell, Mark W. Rosegrant, Jose Falck-Zepeda, Hector Quemada, Mark Halsey, and Regina Birner, July 2005.
- 141 Water Pricing and Valuation in Indonesia: Case Study of the Brantas River Basin, by Charles Rodgers and Petra J.G.J. Hellegers, August 2005.
- 142 Farmer Willingness to Pay for Seed-Related Information: Rice Varieties in Nigeria and Benin, by J. Daniela Horna, Melinda Smale, and Matthias von Oppen, September 2005.
- 143 Impact of Global Warming on Chinese Wheat Productivity, by Liangzhi You, Mark W. Rosegrant, Cheng Fang, and Stanley Wood, October 2005.