



INTERNATIONAL FOOD
POLICY RESEARCH INSTITUTE

sustainable solutions for ending hunger and poverty

ENVIRONMENT AND PRODUCTION TECHNOLOGY DIVISION

APRIL 2006

EPT Discussion Paper 149

A Gap Analysis of Confined Field Trial Application Forms for Genetically Modified Crops in East Africa: Evaluating the Potential for Harmonization

Nicholas A. Linacre and Joel I. Cohen

2033 K Street, NW, Washington, DC 20006-1002 USA • Tel.: +1-202-862-5600 • Fax: +1-202-467-4439 ifpri@cgiar.org www.ifpri.org

IFPRI Division Discussion Papers contain preliminary material and research results. They have not been subject to formal external reviews managed by IFPRI's Publications Review Committee, but have been reviewed by at least one internal or external researcher. They are circulated in order to stimulate discussion and critical comment.

Copyright 2005, International Food Policy Research Institute. All rights reserved. Sections of this material may be reproduced for personal and not-for profit use without the express written permission of but with acknowledgment to IFPRI. To reproduce the material contained herein for profit or commercial use requires express written permission. To obtain permission, contact the Communications Division at ifpri-copyright@cgiar.org.

ABSTRACT

The regulatory approval of genetically modified crops in the field initially requires small, restricted experimental trials known as confined field trials. These small scale experiments provide researchers with important information on environmental interactions and agronomic performance of the crop in a safe and contained manner. To authorize confined field trials regulatory review is required, with formats for obtaining relevant information differing from country to country. In this paper, a Gap Analysis is used to identify informational gaps and potential for harmonization of confined field trial application processes in three East African countries – Tanzania, Kenya, and Uganda. The basic principle behind gap analysis is a comparison of the status quo to an ideal with the identification of the differences or gaps and the difficulty involved in removing the gaps. The resulting similarity of the application forms provides a potential basis for harmonization of confined field trial application processes between countries leading to potential efficiency gains.

Key words: biotechnology, biosafety, bioconfinement, confined field trials, gap analysis, harmonization

TABLE OF CONTENTS

1. Introduction	1
2. Methods - Gap Analysis	5
3. Results - Gap Analysis	8
4. Discussion	15
References	20
Appendix A	22

A Gap Analysis of Confined Field Trial Application Forms for Genetically Modified Crops in East Africa: Evaluating the Potential for Harmonization

Nicholas A. Linacre¹ and Joel I. Cohen²

1. INTRODUCTION

Modern biotechnology has potential for the promotion of human well-being, through the development of technologies that can be used to assist with meeting critical food needs, improving agricultural production, addressing environmental problems and providing health care products (CBP 1999). However, to obtain potential benefits from biotechnology, biosafety laws are required to ensure human and environmental safety (Jaffe 2004; Cohen and Paarlberg 2004).

Currently one of the primary driving forces behind the development of biosafety systems is the Convention on Biological Diversity through the Cartagena Protocol on Biosafety (CPB) which governs the transboundary movement, transit, handling and use of GMOs. National biosafety³ laws govern research, development, and commercialisation of all transgenic organisms including genetically modified (GM) crops and in many developing countries, these laws are based on the CPB. However, there are regulatory differences between national regulatory systems, even when common guidelines are available.

One comparative method (Paarlberg 2001) ranks national biosafety systems on a qualitative scale from promotional to preventative. Promotional systems are designed to

¹ Post-Doctoral Fellow, International Food Policy Research Institute, Environment and Production Technology Division, 2033 K St., NW Washington, DC 20006 n.linacre@cgiar.org.


² Science, Technology and Education Associates, Potomac, MD SCltechandassociates@comcast.net

³ Biosafety may be defined as the regulatory system and its associated risk analysis measures designed to ensure that applications of modern biotechnology (in particular Genetically Modified Organisms) are safe for human health, agriculture, and the environment.

accelerate the adoption of genetically modified organisms within a country. Permissive systems attempt to be neutral towards the technology, neither slowing nor increasing the rate of adoption of the technology. Precautionary systems slow the rate of adoption of the new technology. Preventative systems restrict the legal adoption of biotechnology. Achieving a permissive system that has a neutral approach towards the technology requires an integrated series of regulatory stages to ensure innovation through delineation of research and commercialization activities (Cohen 2005).

An example of the interrelationship between components of a biosafety system is shown in Figure 1.

Figure 1--The delineation between: containment, confinement, and commercial releases. The figure is adapted from OECD (1992: p 20) - Good Development Practice in the context of field research.



Understanding the delineation between research activities and commercial releases is important from a regulatory standpoint. This is illustrated by the dotted line between Stage 3 and the other two stages. Further separation of research activities is also recognized, having both contained and confined activities. Stage 1 generally represents contained activities, stage 2 confined activities, and stage 3 commercial releases.

For transgenic plants or GM crops, “contained activities” refer to research done within laboratories, growth chambers, and greenhouses that are completely separated from the open environment. . From a safety perspective, the purpose of containment is to ensure that genetic material does not escape into the environment; at the same time it provides the means for testing methodologies for transformation and determination of the expression of specific genetic constructs (Robinson et al., 1998). Such activities are done at the earliest stages of development, often following review by an Institutional Biosafety Committee.

Following the containment stage, small scale field experiments, called confined field trials (CFT), are conducted that provide important agronomic performance data. Confined field trials also allow regulators and government scientists to obtain important environmental, human and animal safety information on the crop. Confined field trials provide risk assessment data that is essential for any regulatory system (NRC 2004). This information is used for fuller safety assessments required for commercial release approval of GM crops. In contrast to contained and confined experiments, commercial releases of GM crops usually represent uncontrolled environmental release. Generally, commercial releases can be distinguished from confined trails by the size and scale of planting and the absence of restrictions to limit the movement of genetic materials.

As mentioned above, understanding these differences between research and commercialization is extremely important for testing transgenic crops. Regulatory requirements for GM crops vary depending upon the stage of development (as shown above) and between different countries, but most countries require submission of an application prior to approval for a confined field trial or for commercial release.

The remainder of this paper focuses on the regulation of the confined field phase of GM crop development. A Gap Analysis is used to identify informational gaps and potential for harmonization of confined field trial application processes in three East African countries – Tanzania, Kenya, and Uganda. Section 2.0 explains the Gap Analysis method and develops the rationale for the key informational requirements needed for the safe conduct of confined field trials. Section 3.0 presents the results of the analysis and Section 4.0 discusses the potential areas of harmonization identified by the Gap Analysis.

2. METHODS - GAP ANALYSIS

An extensive banking and finance, strategic management, and marketing literature exists on gap analysis, for example see: Goodstien et al. (1993), Porter (1998), Fleisher and Bensoussan (2002). The basic principle behind gap analysis is a comparison of the status quo to an ideal with the identification of the differences or gaps and the difficulty involved in removing the gaps. In this context, the International Food Policy Research Institute⁴ (IFPRI) held a Gap Analysis workshop in July 2005 on Confined Field Trials. An expert group was convened to analyze the CFT application forms from Tanzania, Uganda, and Kenya. This workshop was part of a wider initiative supported with funding from the United States Agency for International Development (USAID). This initiative, Program for Biosafety Systems (PBS), is managed by IFPRI, working through a consortium of partners including Michigan State University, the Donald Danforth Plant Science Center, and Western Michigan State University, to identify and review strategic gaps in the formulation and development of Biosafety Systems

⁴ IFPRI is part of the Consultative Group on International Agricultural Research www.cgiar.org and www.ifpri.org.

in East Africa. Other activities included a three country legal gap analysis; for details see Jaffe (2006).

The first step in the Gap Analysis was the agreement on, and preparation of, a uniform CFT application used in comparison with national application forms. There appears to be few systematic attempts within the scientific literature to define the informational requirements for confined field trials. However, a number of companies, countries, scientific and international organizations offer guidance on the safe conduct of confined field trails. Generally, the approval process for a confined field trial is based on information supplied in a form.

Typically, all confined field trial forms contain:

- general administrative information;
- biological information on the unmodified and modified plant;
- biophysical information about the trial site including geospatial information;
- information on genetic and material confinement measures; and
- contingency plans.

This information is designed to ensure the safe conduct of an experiment. It identifies measures to limit the movement of biological materials within the trial site and to ensure that only genetically modified plants suitable for confined field trials are approved. This is achieved by obtaining information on the similarity of the GM crop to existing commercial varieties using the principle of ‘familiarity’⁵ (van Dommelen 1999) and growing the crop under highly restricted conditions (confinement measures) to limit the movement of any genetic material (NRC 2004). Information is provided in an application on the performance of the

⁵“Familiarity is not synonymous with safety; rather, it means having enough information to be able to judge the safety of the introduction or to indicate ways of handling the risks.” (OECD 1995).

unmodified and modified plant as it relates to confinement, such as the plants ability to escape, establish and persist in the environment into which it is being introduced. Information on the modified plant is obtained to assess relationships of the intended phenotypic changes to appropriate confinement measures.

Information is also required on the biophysical environment into which the experimental plants are being introduced. This would include a description of the purpose of the field trial, the experimental design and the nature and type of data to be collected. This information should include the nature of the habitat at the site, and a list of organisms of conservation concern located within the general area of the site. The aim of obtaining this information is to understand how the biophysical environment might affect the genetic and material confinement measures. Broadly, there is consensus on approaches for genetic confinement⁶ which include: spatial separation; removal of reproductive structures; temporal separation; removal of floral parts; and, harvesting time, for example see OECD (1992). Finally, information is required on contingency plans, which specify how accidental releases of genetically modified plant material will be dealt with including.

These various considerations are summarized in a detailed sample application form developed by the expert group during the gap analysis workshop. This appears in Appendix A. The sample form is used as the basis for a comparative analysis between Kenya, Uganda, and Tanzania. However, some caveats must be applied. The application form summarizes current knowledge contained from a number of sources (e.g. OECD 1992, PRR 2005) and is therefore based solely on publicly available information. The sample form only deals with experimental trials for GM crop plants. The form indicates basic information needed for a confined field trial. However, each country has a unique set of circumstances driving the application process.

⁶For example see OECD (1992), Angle and Linacre 2005, Halsey (2005).

Some requests for information may be present because of societal considerations rather than scientific considerations.

The sample form used for the country comparisons (Appendix A, B), has its informational requirements divided into seven categories as follows:

1. Administrative information: basic application contact details, name of crop and proposed locations
2. Unmodified plant information: information on performance of the unmodified plant as related to confinement
3. Modified plant information: description of modified crop as related to confinement
4. Trial description: full description of field trial, purpose, design and other relevant information
5. Genetic confinement: explaining how confinement of the GM crop will be maintained
6. Material confinement: plans for keeping the GM crop out of human or animal food chain
7. Contingency plans: explain how accidental releases of GM crop/products would be handled.

These same categories are used in Table 1 for the gap analysis.

3. RESULTS - GAP ANALYSIS

The Gap Analysis of Tanzania, Kenya, and Uganda using the analytical framework developed in the previous section are shown in Table 1. The sample application form was compared to relevant sections in the country applications. The analysis provides a ‘snap shot’ of the information currently requested by each country. Below are highlights observed from the gap analysis. While information addressing the seven categories above is in differing locations on each country form, there is broad agreement with the sample form. This shows a

common perspective emerging among countries for managing applications for confined field trials versus those for full commercial, open release or use.

Table 1-Gap analysis of confined field trial application forms comparing sample form to those from Kenya, Tanzania, and Uganda.

Benchmark (Sample form; Appendix A)	Explanations from sample form	Relevant sections from national regulatory forms		
		Tanzania	Kenya	Uganda
National Regulatory Authority for confined field trials		TPRI*	National Council for Science and Technology	UNCST*
1. Application Information				
Purpose of the application	This is an application for a confined field trial for (name of crop species).	√	√	√
Application history in all jurisdictions	Provides information on the status of previous or current applications for this event including field tests and unconfined (commercial release). Applications could be pending, approved, or not approved in multiple jurisdictions	F5, F7	A4, B11, B11, B12	III B.e
Applicant	Name of applying institution, ancillary information may also include the name of the principal investigator and confined field trial manager.	C, D	A2, A3	I
Contact information	Applicant contact details	C, D	A2	I
Proposed size, location and duration of the trial	Name, address, email, phone, and facsimile of the Trial Manager as well as GPS information on the exact location.	G1, G2	A2, A5	IV A.a ^f

* Tropical Pesticide Research Institute

♦ Uganda National Council for Science and Technology.

^f Information on the trial site manager does not appear to be required.

2. Unmodified Plant Information

Plant species name	Common and scientific names	A1, A2	B1	III A.a
Reproductive mechanism of the plant	Information on the biology of the plant. Some information may be obtained from Organization for Economic Co-operation and Development (OECD) biology consensus documents	A3	B2	III A.b
Tendency to weediness	Is the unmodified plant regarded by agricultural experts as a weed in regions where it is cultivated? If so, are control methods available that effectively limit the dispersal and establishment of the unmodified plant.	A4	B4	III A.d. ^Y
Center of Origin:	What is the center of origin of the unmodified plant?	A7	B3	III A. ^c
Toxicity	Is the unmodified plant known to contain toxins or allergens of concern to humans or animals? Toxicity information could be a factor in determining appropriate handling procedures. It could also be important for evaluating worker exposure. The applicant should describe whether local fauna, not usually exposed to the toxins introduced due to the trial, could be adversely affected by the trial. This information might be needed to evaluate effects on non-target organisms, if not currently exposed to any toxins introduced by the trial.	A14, A15	B5	II [∞]

Benchmark	Explanations from sample form	Tanzania	Kenya	Uganda
3. Modified Plant Information				
Intend phenotypic changes	What are the intended phenotypic changes to the plant?	F13	B6 ^Y	
Intended reproductive affects	Does the genetic modification intentionally alter the reproductive biology of the plant? How do these changes affect strategies for confinement?	F13.1 – F13.6 ³	B7	III B.b
Source of genetic material	What is the source of the genetic material and does this affect the safe conduct of a confined field trial? Provides information on the potential introduction of infectious agents, plant, animal or human pathogens or allergens or toxins.	F9	B8, B9, B10	III B.c, III B.d

^Y No allowance is made on the form for explanation.

[∞] Extremely detailed and may not get at risk information.

^Y Wording asks for a description of the genetic modification presumably this is intended to cover any phenotypic effects.

³ Several specific issues are identified as opposed to provide flexibility to describe the phenotypic changes.

4. Trial description	Information on the purpose of the field trial, the experimental design and the nature and type of data to be collected, including any pesticide or herbicide use.	H1, H2, H3	---	---
5. Genetic confinement				
Geographical information affecting genetic confinement	Provide information on trial size including a map of the trial site(s) and surrounding fields and geographic features.	G2, G4	C1	IV.A.a
Compatible species	Are there sexually compatible wild plant species that could result in viable offspring near the trial site? Do confinement mechanisms provide effective barriers against potential gene flow via pollen, tissues and/or seed? Are sexually compatible wild relatives likely to be present in the confinement area of the trial? Are these wild relatives of conservation concern?	G5, G4	C2	IV.A.b
Genetic confinement measures	Mechanisms to contain gene flow. Measures include, but should not be limited to: physical isolation, temporal isolation including termination of trial before flowering, and other measures may be appropriate depending on the biology of the unmodified plant, the nature by which pollen and seeds are dispersed and the intended genetic modification (the intended phenotype).	H4	C3	IV.A.c
Volunteer control	Information on post-trial plans to control volunteers on the trial site.	G6	C4	IV.A.e
6. Material confinement				
Packaging/transport	How will the genetically modified plant material will be packaged for transport to the trial site; how the packaging material will be cleaned and/or disposed of after use and; how the packaging material containing genetically modified plant material will be marked or identified during transport to the trial site.	H5	D1, D2	IV.B
Planting, harvesting, monitoring, transport and storage	How will material be harvested; how harvested retained material is will stored and/or transported off site.	H5, H8	D3	IV.B
Disposal and clean up	How will surplus planting material will be disposed of at the trial site; how any equipment used during planting and other farm operations will be cleaned; and how harvested materials and crop residues be disposed of.	H6	D7	IV.B
Site Security and training	Measures that could be needed to prevent unauthorized removal of material from the trial site and include: fencing, security patrols, and locked gates.	H9	D5	IV.B

7. Contingency plans

Notification of Authorities	If a breach of the license for the CFT occurs then authorities must be notified	H10	E	C
Recovery of materials	Materials should be recovered to the extent possible.	H10	E	C
Confinement of materials	Materials should be confined to the spillage area or local site of accidental release	H10	E	C
Other	Any other measure deemed necessary to ensure the safe conduct of the CFT	H10	E	C

8. Declaration

Certification of the correctness and completeness of information	√	√	√
--	---	---	---

Category 2. Unmodified plant information. As seen from Table 1 there is broad agreement between each countries application with information appearing in different sections of the form.

Category 3. Modified plant information. As seen in Table 1 each form requires a description of the genetic modification made to the crop. However, the Tanzanian form (part F 1 – 13) requests more details than the Kenya and Uganda forms, which are less specific, but still require significant amounts of molecular information. In the Ugandan form, Section III B focuses on this, with the last questions calling for an annex that would essentially match what the Tanzanian form has formatted in detail. A similar approach is taken in B.6 of the Kenyan form.

Category 4. Trial description. Detailed instructions for information are presented in the sample form for this category. They include the following: full description of the purpose of the field trial; experimental design data to be collected; nature of habitat at site, and a list of organisms of conservation concern. Furthermore, a field history is requested, including crops planted in the last 3 years and pesticides applied. This type of detail is not seen in the current Kenyan form. While the Tanzanian form covers this in Section H, it is a general approach, without detail of elements listed above. The Ugandan form focuses on type of data to be collected; however, it does so without a summary of the trial objectives, or answers to many of the suggested information needs shown above.

Category 5. Genetic confinement. Each country has devoted specific questions to address the four items under this category in Table 2. One issue that comes up in the Ugandan and Kenyan form is the frequency of monitoring of volunteer plants for pulling up. However, broader or long term monitoring is not considered for the confined field trials. The Tanzanian form

captures this in Section H.9, but in a more general way, not specifically tied to pulling volunteer plants.

Category 6. Material confinement. Here, the Tanzanian form asks information on planting; to know if it is mechanical or by hand, while all three forms focusing directly on packaging and transport. Use of pesticides or herbicides in the trial is asked specifically in the Tanzanian form. Agrochemical use is mentioned in the sample form, in Section 4, trial description. However, additional details may be needed if forms are lacking this information.

4. DISCUSSION


This section discusses potential limitations of the research, confined field trials and risk analysis issues, and the possibility of moving towards a harmonized confined field trial application process in East Africa.

An important caveat on the Gap Analysis approach is the identification of the sample application form. It is possible the selection of experts biased the selection of questions on the form. For consistency purposes, the sample form was compared to the Canadian CFT application form and OECD documents. IFPRI's own experts reviewed the form. However, while every reasonable step has been taken to ensure the completeness and accuracy of the form (Appendix A) it remains possible that a different group of experts might produce a different form and to this extent, the analysis is potentially limited. Therefore, countries interested in using these research results would normally also consult with their own domestic experts on the appropriateness or otherwise of the research for the individual circumstances of the particular country applying the results of this analysis.

Regulators in developing countries should also recognize that small scale confined field trials have their limitations. This is why it is important to move towards larger scale trials, or scale up to production. Providing efficient management and review of confined trials is essential for this progression, as the confined trials illuminate the majority of potential effects on appearance and behavior of GM plants. However, some effects are more likely detected in larger scale trials, which give an additional round of testing for safety (OECD 1993).

It is also important to recognize that the confined field trial application forms represent a risk screening step. Generally, only genetically modified crops that are unlikely to cause severe damage are approved for confined field trials; however, opinions differ on the perceived degree of damage which could potentially occur. When combined with stringent confinement measures to produce a low likelihood of exposure, the resulting risk (combination of the consequence and likelihood of exposure) is thought to be extremely low (Figure 2) (NRC 2004).

Figure 2--Combining likelihood and consequences for confined field trials. The risk screening provided by the CFT application and associated material confinement measures helps to identify low risk scenarios.



The similarity of the country applications under scores the potential for regional harmonization in confined field trial application processes and the potential for a single regional approach, which would allow developers to collect risk assessment and agronomic data within the region without having to go through multiple application processes. Potential efficiency gains include better use of human resources, streamlined application processes, reduced environmental risk, and the development of strong regional cooperation. Regional biosafety approaches are negotiated between interested countries. Details of such agreements may include common specific approval documents, reciprocity of regulatory testing

data/information, and policies outlining relation of national to regional decision. Of course, many other opportunities exist for further collaboration as confidence begins to build.

In the simplest case, harmonization could occur by each country's application form being standardized with similar expectations of informational requirements. This would make it easier for applicants to fill out the forms and would standardize the expectations of developers about what is required of them from neighboring countries (for example see Jaffe 2006). A more integrated approach could involve a single regional approval body using a regionally developed confined field application form and data expectations. Decisions by the regional body would be non-binding on the countries involved and would allow domestic regulators the right to either accept or not implement the recommendation. This way national sovereignty would be assured. A number of benefits might be derived from such a regional approach including the more efficient use of human resources, efficient application processes, and enhanced environmental safety.

A regional system could potentially more efficiently utilize the limited biosafety capacity in the region by using scientists from all three countries to assess a single application that could then be used in all countries. Standardizing data requirements could provide greater certainty for developers and regulators and, given the porous nature of borders in East Africa (Minde 2005), it is likely that the development of regional environmental risk analyses will provide greater environmental security. Fundamental to this is the use of confined field trials to collect environmental data to inform regulatory commercial release decisions. Potentially, the greatest challenge lies in the development of a coordinated regional approach that is not mired in endless rounds of analysis.

The essential importance of confined field trials for research in developing countries is now being realized. Regulators understand that products are not introduced into the open environment immediately. Instead, they go through regulatory stages appropriate to the GM crop seeking testing approval. However, confined field trials, while essential, do not fully approximate farmer's fields or broader use. Thus, confined field trials are a midway point in determine the eventual safety, success or failure of a given GM crop. Vast differences in information requirements for field tests or information requirements that belong elsewhere in the regulatory approval process can cause considerable confusion. Therefore, the more harmonized are the national forms, the easier it becomes to use other's data, and to make approval decisions as per common understanding of confined field trials.

REFERENCES

- Canada. 2005. *Confined research field trial application form*. Montreal, Canada: Canadian Food Inspection Agency
- Cartagena Biosafety Protocol. 2000. Cartagena protocol on biosafety to the convention on biological diversity. Montreal, Canada: Cartagena Biosafety Protocol.
<http://www.biodiv.org/biosafety>
- Cohen, J.I. 2005. Poorer nations turn to publicly developed GM crops. *Nature Biotechnology* Feature Article. *Nature Biotechnology* 23: 27 – 33.
- Cohen, J.I. and R. Paarlberg. 2004. Unlocking crop biotechnology in developing countries – a report from the field. *World Development* 32 (9): 1563-1577
- Doyle J. J. and G. J. Persley, eds. 1996. Enabling the safe use of biotechnology principles and practice. Environmentally Sustainable Development Studies and Monographs Series No. 10. Washington DC.: World Bank.
- Goodstein, L., T. Nolan, and J.W. Pfeiffer. 1993. *Applied strategic planning: how to develop a plan that really works*. New York: McGraw-Hill.
- Fleisher, C.S. and B. Bensoussan. 2002. *Strategic and competitive analysis: Methods and techniques for analyzing business competition*. New York: Prentice Hall
- Jaffe, G. 2004. Regulating transgenic crops: a comparative analysis of different regulatory processes. *Transgenic Research*. 13:5-9.
- Jaffe, G. 2006. [Comparative analysis of the national biosafety regulatory systems in East Africa](#). Environment and Production Technology Discussion Paper. Number 146. Washington DC.: International Food Policy Research Institute.
- McLean M. A., R.J. Frederick P.L. Traynor J. I. Cohen, and J. Komen. 2002. A Conceptual framework for implementing biosafety: Linking policy, capacity, and regulation. Briefing Paper 47. The Hague Netherlands: International Service for National Agricultural Research (ISNAR).
- Minde, I. 2005. Regional seed policy harmonization process. Paper presented at the East Africa and Program for Biosafety Systems Policy Roundtable. April 18 – 20; 2005. Entebbe, Uganda
- National Research Council (NRC). 2004. Biological confinement of genetically engineered organisms. National Research Council of the National Academies, Washington, DC.: National Academies Press www.nap.edu.

- Porter M.E., 1998. *Competitive strategy: techniques for analyzing industries and competitors*. Free Press.
- Public Research and Regulation (PRR). 2005. Guide for notifications and risk assessment for releases of genetically modified organisms. Draft 9; November, 2005. Public Research and Regulation. [http://files.pubresreg.org/WGBSPandRISK/PRRI-Guide-on-notifications-%20and-RA\(2\).PDF](http://files.pubresreg.org/WGBSPandRISK/PRRI-Guide-on-notifications-%20and-RA(2).PDF)
- OECD. 1995. *Safety considerations for biotechnology*. Paris: OECD Press.
- OECD. 1993. *Safety considerations for scale up of crop plants*. Paris: OECD Press.
- OECD. 1992. Good development principles for the design of small scale field research involving GM plants and GM micro-organisms. Paris: OECD Press.
- Republic of Kenya. 2005. Daft Confined Field Trial Application Form.
- Republic of Tanzania. 2005. Daft Confined Field Trial Application Form.
- Republic of Uganda. 2005. Daft Confined Field Trial Application Form.
- Robinson, D.J, H.V. Davies, A.N.E. Birch, T.M.A. Wilson, N.W. Kerby, G.R. Squire and J.R. Hillman. 1998. Development, release and regulation of GM crops. Pages 44-54 in SCRI Annual Report 1997/1998.. Dundee, Scotland: Scottish Crop Research Institute.
- Stewart, M. G., and R. E. Melchers. 1997. *Probabilistic risk assessment of engineering systems*. Melbourne: Chapman & Hall.
- Van Dommelen, A. 1999. The familiarity criterion in biosafety regulation. In *Hazard identification of agricultural biotechnology – finding relevant questions*. Utrecht, the Netherlands: International Books

APPENDIX A

Sample Application Form[¶].

Section 1. Administrative information

<p>1.1 Purpose of the application: This is an application for a confined field trial for (name of crop species).</p>
<p>1.2 Application history in all jurisdictions: Provide information on the status of previous or current applications for this event including field tests and unconfined (commercial release). Applications could be pending, approved, or not approved. If this is a new application or a renewal this information will appear here. If the event is under consideration in multiple markets this information also appears here. Information related to successful or unsuccessful applications should appear here, accompanied by an appropriate explanation.</p>
<p>1.3 Applicant: Name of applying institution, ancillary information may also include the name of the principal investigator and confined field trial manager.</p>
<p>1.4 Contact details: Address, email, phone, and facsimile.</p>
<p>1.5 Proposed location(s) of the trial: Provide the name, address, email, phone, and facsimile of the Trial Manager as well as GPS information on the exact location.</p> <p>1.6 Proposed duration of the trial.</p> <p>1.7 Proposed size of the trial.</p>

Section 2. Unmodified Plant Information

<p>Comment: The purpose of this section is to elicit information on the performance of the unmodified plant as it relates to confinement. Typically information is obtained on the plants ability to escape, establish and persist in the environment into which it is being introduced.</p>

[¶] This is intended as a guide only and should not be applied with out consider and consultation with biosafety experts.

<p>2.1 Plant species name (common and scientific):</p>
<p>2.2 Reproductive mechanism of the plant: Provide information on the biology of the plant. This information may be obtained from Organization for Economic Co-operation and Development (OECD) biology consensus documents when available and, where applicable, should include:</p> <ul style="list-style-type: none"> • A description of inter and intra specific breeding • Pollen production and dispersal mechanisms • Seed production and dispersal mechanisms • Seed dormancy • Vegetative reproduction.
<p>2.3 Tendency to weediness: Is the unmodified plant regarded by agricultural experts as a weed in regions where it is cultivated? If so, are control methods available that effectively limit the dispersal and establishment of the unmodified plant. (NOTE: the information on the confined field trial location and how the genetically modified plant will be managed are described elsewhere in this form.)</p>
<p>2.4 Center of Origin: What is the center of origin of the unmodified plant?</p>
<p>2.5 Toxicity Is the unmodified plant known to contain toxins or allergens of concern to humans or animals? If it does identify the toxin(s) or allergen(s) then provide information on the affected species and dose-response information. Toxicity information could be a factor in determining appropriate handling procedures. It could also be important for evaluating worker exposure. The applicant should describe whether local fauna, not usually exposed to the toxins introduced due to the trial, could be adversely affected by the trial. This information might be needed to evaluate effects on non-target organisms, if not currently exposed to any toxins introduced by the trial.</p>

Section 3. Modified Plant Information

Comment: this section seeks information on intended affects that pertain to issues that affect confinement measures.

3.1 Describe the intended phenotypic changes to the plant.

3.2 Intended reproductive affects

Does the genetic modification intentionally alter the reproductive biology of the plant? How do these changes affect strategies for confinement? Explain.

3.3 What is the source of the genetic material and does this affect the safe conduct of a confined field trial? If so how?

Provide information on the potential introduction of infectious agents, plant, animal or human pathogens or allergens or toxins.

3.4 Provide a brief description for each genetic element (or feature) of the construct including coding sequences, promoters, enhancers, termination, and polyadenylation signal sequences. Attach a genetic map and information on the method of modification in an annex.

Section 4. Trial description

Provide a full description of the purpose of the field trial, the experimental design and the nature and type of data to be collected, including any pesticide or herbicide use. This information should include the nature of the habitat at the site, and a list of organisms of conservation concern located within the general area of the site. Furthermore, a field history should be given including crops planted in the last 3 years and pesticides applied.

Section 5. Genetic Confinement

Comment: this section outlines the approach taken to ensure confinement of the genetically modified test material. It is based on knowledge of the unmodified crop and the intended genetic modification.

5.1 Provide information on trial size including a map of the trial site(s) and surrounding fields and geographic features.**5.2 Are there sexually compatible wild plant species that could result in viable offspring near the trial site?**

Do confinement mechanisms provide effective barriers against potential gene flow via pollen, tissues and/or seed? Are sexually compatible wild relatives likely to be present in the confinement area of the trial? Are these wild relatives of conservation concern?

5.3 Describe mechanisms to contain gene flow.

Measures include, but should not be limited to: Isolation distances (justify proposed distances based on existing information from the unmodified crop and the intended genetic modification), detasseling or removal of floral parts, bagging of flowering parts, temporal isolation, termination of trial before flowering, guard rows / pollen trap rows /

wind breaks, and measures to prevent seed dispersal from test area. Other measures may be appropriate depending on the biology of the unmodified plant, the nature by which pollen and seeds are dispersed and the intended genetic modification (the intended phenotype). Documentation and record keeping is required to provide field inspectors with the necessary and essential information to ensure compliance with the application approval.

5.4 Volunteer control.

Provide a description of post-trial plans to control volunteers on the trial site. Issues that need to be considered include: cropping patterns on the site including the location of modified and unmodified plants, duration of monitoring for volunteers, frequency of monitoring, disposal of any identified volunteers, and any other measures needed to ensure the safe conduct of the confined field trial. Documentation and record keeping is required to provide field inspectors with the necessary and essential information to ensure compliance with the application approval. This may include information on the use of herbicide control.

Section 6. Material Confinement

Comment: describe the mechanisms by which modified plant material is kept out of the human or animal food chain, and to ensure exposure to the environment through accidental release is effectively zero.

6.1 Packaging

Describe how the genetically modified plant material will be packaged for transport to the trial site; how the packaging material will be cleaned and/or disposed of after use and; how the packaging material containing genetically modified plant material will be marked or identified during transport to the trial site. Typically the applicant will describe how the chain of custody will be ensured and the type of records that will be maintained. Chain of custody information serves as important evidence ensuring the proper pre- and post-trial containment of the regulated materials used.

6.2 Harvesting, transport and storage

Describes how material will be harvested; how harvested retained material be will stored and/or transported off site.

6.3 Disposal and clean up

Describes how surplus planting material will be disposed of at the trial site; how any equipment used during planting and other farm operations will be cleaned; and how harvested materials and crop residues be disposed of. Maintenance of good records ensures that environmental release was limited to the CFT site.

6.4 Site Security and training

Detail measures that could be needed to prevent unauthorized removal of material from the trial site and include: fencing, security patrols, and locked gates. This section also includes information that may be needed to prevent fauna from removing material from

the trial site.

Section 7: Contingency Plans

Provide information on how accidental releases of genetically modified plant material will be dealt with. The information included in this section covers: notification of authorities and other applicants, recovery of materials, confinement of materials, and any other measures deemed necessary to ensure fast and efficient confinement of materials and mitigation of potential adverse environmental effects.

EPT DISCUSSION PAPERS

1. Sustainable Agricultural Development Strategies in Fragile Lands, by Sara J. Scherr and Peter B.R. Hazell, June 1994.
2. Confronting the Environmental Consequences of the Green Revolution in Asia, by Prabhu L. Pingali and Mark W. Rosegrant, August 1994.
3. Infrastructure and Technology Constraints to Agricultural Development in the Humid and Subhumid Tropics of Africa, by Dunstan S.C. Spencer, August 1994.
4. Water Markets in Pakistan: Participation and Productivity, by Ruth Meinzen-Dick and Martha Sullins, September 1994.
5. The Impact of Technical Change in Agriculture on Human Fertility: District-level Evidence from India, by Stephen A. Vosti, Julie Witcover, and Michael Lipton, October 1994.
6. Reforming Water Allocation Policy through Markets in Tradable Water Rights: Lessons from Chile, Mexico, and California, by Mark W. Rosegrant and Renato Gazri S, October 1994.
7. Total Factor Productivity and Sources of Long-Term Growth in Indian Agriculture, by Mark W. Rosegrant and Robert E. Evenson, April 1995.
8. Farm-Nonfarm Growth Linkages in Zambia, by Peter B.R. Hazell and Behjat Hoiijati, April 1995.
9. Livestock and Deforestation in Central America in the 1980s and 1990s: A Policy Perspective, by David Kaimowitz (Interamerican Institute for Cooperation on Agriculture. June 1995.
10. Effects of the Structural Adjustment Program on Agricultural Production and Resource Use in Egypt, by Peter B.R. Hazell, Nicostrato Perez, Gamal Siam, and Ibrahim Soliman, August 1995.
11. Local Organizations for Natural Resource Management: Lessons from Theoretical and Empirical Literature, by Lise Nordvig Rasmussen and Ruth Meinzen-Dick, August 1995.

EPT DISCUSSION PAPERS

12. Quality-Equivalent and Cost-Adjusted Measurement of International Competitiveness in Japanese Rice Markets, by Shoichi Ito, Mark W. Rosegrant, and Mercedita C. Agcaoili-Sombilla, August 1995.
13. Role of Inputs, Institutions, and Technical Innovations in Stimulating Growth in Chinese Agriculture, by Shenggen Fan and Philip G. Pardey, September 1995.
14. Investments in African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, and Nienke Beintema, October 1995.
15. Role of Terms of Trade in Indian Agricultural Growth: A National and State Level Analysis, by Peter B.R. Hazell, V.N. Misra, and Behjat Hoijati, December 1995.
16. Policies and Markets for Non-Timber Tree Products, by Peter A. Dewees and Sara J. Scherr, March 1996.
17. Determinants of Farmers' Indigenous Soil and Water Conservation Investments in India's Semi-Arid Tropics, by John Pender and John Kerr, August 1996.
18. Summary of a Productive Partnership: The Benefits from U.S. Participation in the CGIAR, by Philip G. Pardey, Julian M. Alston, Jason E. Christian, and Shenggen Fan, October 1996.
19. Crop Genetic Resource Policy: Towards a Research Agenda, by Brian D. Wright, October 1996.
20. Sustainable Development of Rainfed Agriculture in India, by John M. Kerr, November 1996.
21. Impact of Market and Population Pressure on Production, Incomes and Natural Resources in the Dryland Savannas of West Africa: Bioeconomic Modeling at the Village Level, by Bruno Barbier, November 1996.
22. Why Do Projections on China's Future Food Supply and Demand Differ? by Shenggen Fan and Mercedita Agcaoili-Sombilla, March 1997.
23. Agroecological Aspects of Evaluating Agricultural R&D, by Stanley Wood and Philip G. Pardey, March 1997.

EPT DISCUSSION PAPERS

24. Population Pressure, Land Tenure, and Tree Resource Management in Uganda, by Frank Place and Keijiro Otsuka, March 1997.
25. Should India Invest More in Less-favored Areas? by Shenggen Fan and Peter Hazell, April 1997.
26. Population Pressure and the Microeconomy of Land Management in Hills and Mountains of Developing Countries, by Scott R. Templeton and Sara J. Scherr, April 1997.
27. Population Land Tenure and Natural Resource Management: The Case of Customary Land Area in Malawi, by Frank Place and Keijiro Otsuka, April 1997.
28. Water Resources Development in Africa: A Review and Synthesis of Issues, Potentials, and Strategies for the Future, by Mark W. Rosegrant and Nicostrato D. Perez, September 1997.
29. Financing Agricultural R&D in Rich Countries: What's Happening and Why? by Julian M. Alston, Philip G. Pardey, and Vincent H. Smith, September 1997.
30. How Fast Have China's Agricultural Production and Productivity Really Been Growing? by Shenggen Fan, September 1997.
31. Does Land Tenure Insecurity Discourage Tree Planting? Evolution of Customary Land Tenure and Agroforestry Management in Sumatra, by Keijiro Otsuka, S. Suyanto, and Thomas P. Tomich, December 1997.
32. Natural Resource Management in the Hillsides of Honduras: Bioeconomic Modeling at the Micro-Watershed Level, by Bruno Barbier and Gilles Bergeron, January 1998.
33. Government Spending, Growth, and Poverty: An Analysis of Interlinkages in Rural India, by Shenggen Fan, Peter Hazell, and Sukhadeo Thorat, March 1998. Revised December 1998.
34. Coalitions and the Organization of Multiple-Stakeholder Action: A Case Study of Agricultural Research and Extension in Rajasthan, India, by Ruth Alsop, April 1998.

EPT DISCUSSION PAPERS

35. Dynamics in the Creation and Depreciation of Knowledge and the Returns to Research, by Julian Alston, Barbara Craig, and Philip Pardey, July, 1998.
36. Educating Agricultural Researchers: A Review of the Role of African Universities, by Nienke M. Beintema, Philip G. Pardey, and Johannes Roseboom, August 1998.
37. The Changing Organizational Basis of African Agricultural Research, by Johannes Roseboom, Philip G. Pardey, and Nienke M. Beintema, November 1998.
38. Research Returns Redux: A Meta-Analysis of the Returns to Agricultural R&D, by Julian M. Alston, Michele C. Marra, Philip G. Pardey, and T.J. Wyatt, November 1998.
39. Technological Change, Technical and Allocative Efficiency in Chinese Agriculture: The Case of Rice Production in Jiangsu, by Shenggen Fan, January 1999.
40. The Substance of Interaction: Design and Policy Implications of NGO-Government Projects in India, by Ruth Alsop with Ved Arya, January 1999.
41. Strategies for Sustainable Agricultural Development in the East African Highlands, by John Pender, Frank Place, and Simeon Ehui, April 1999.
42. Cost Aspects of African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, Nienke M. Beintema, and Connie Chan-Kang, April 1999.
43. Are Returns to Public Investment Lower in Less-favored Rural Areas? An Empirical Analysis of India, by Shenggen Fan and Peter Hazell, May 1999.
44. Spatial Aspects of the Design and Targeting of Agricultural Development Strategies, by Stanley Wood, Kate Sebastian, Freddy Nachtergaele, Daniel Nielsen, and Aiguo Dai, May 1999.
45. Pathways of Development in the Hillside of Honduras: Causes and Implications for Agricultural Production, Poverty, and Sustainable Resource Use, by John Pender, Sara J. Scherr, and Guadalupe Durón, May 1999.
46. Determinants of Land Use Change: Evidence from a Community Study in Honduras, by Gilles Bergeron and John Pender, July 1999.

EPT DISCUSSION PAPERS

47. Impact on Food Security and Rural Development of Reallocating Water from Agriculture, by Mark W. Rosegrant and Claudia Ringler, August 1999.
48. Rural Population Growth, Agricultural Change and Natural Resource Management in Developing Countries: A Review of Hypotheses and Some Evidence from Honduras, by John Pender, August 1999.
49. Organizational Development and Natural Resource Management: Evidence from Central Honduras, by John Pender and Sara J. Scherr, November 1999.
50. Estimating Crop-Specific Production Technologies in Chinese Agriculture: A Generalized Maximum Entropy Approach, by Xiaobo Zhang and Shenggen Fan, September 1999.
51. Dynamic Implications of Patenting for Crop Genetic Resources, by Bonwoo Koo and Brian D. Wright, October 1999.
52. Costing the Ex Situ Conservation of Genetic Resources: Maize and Wheat at CIMMYT, by Philip G. Pardey, Bonwoo Koo, Brian D. Wright, M. Eric van Dusen, Bent Skovmand, and Suketoshi Taba, October 1999.
53. Past and Future Sources of Growth for China, by Shenggen Fan, Xiaobo Zhang, and Sherman Robinson, October 1999.
54. The Timing of Evaluation of Genebank Accessions and the Effects of Biotechnology, by Bonwoo Koo and Brian D. Wright, October 1999.
55. New Approaches to Crop Yield Insurance in Developing Countries, by Jerry Skees, Peter Hazell, and Mario Miranda, November 1999.
56. Impact of Agricultural Research on Poverty Alleviation: Conceptual Framework with Illustrations from the Literature, by John Kerr and Shashi Kolavalli, December 1999.
57. Could Futures Markets Help Growers Better Manage Coffee Price Risks in Costa Rica? by Peter Hazell, January 2000.
58. Industrialization, Urbanization, and Land Use in China, by Xiaobo Zhang, Tim Mount, and Richard Boisvert, January 2000.

EPT DISCUSSION PAPERS

59. Water Rights and Multiple Water Uses: Framework and Application to Kirindi Oya Irrigation System, Sri Lanka, by Ruth Meinzen-Dick and Margaretha Bakker, March 2000.
60. Community natural Resource Management: The Case of Woodlots in Northern Ethiopia, by Berhanu Gebremedhin, John Pender and Girmay Tesfaye, April 2000.
61. What Affects Organization and Collective Action for Managing Resources? Evidence from Canal Irrigation Systems in India, by Ruth Meinzen-Dick, K.V. Raju, and Ashok Gulati, June 2000.
62. The Effects of the U.S. Plant Variety Protection Act on Wheat Genetic Improvement, by Julian M. Alston and Raymond J. Venner, May 2000.
63. Integrated Economic-Hydrologic Water Modeling at the Basin Scale: The Maipo River Basin, by M. W. Rosegrant, C. Ringler, DC McKinney, X. Cai, A. Keller, and G. Donoso, May 2000.
64. Irrigation and Water Resources in Latin America and the Caribbean: Challenges and Strategies, by Claudia Ringler, Mark W. Rosegrant, and Michael S. Paisner, June 2000.
65. The Role of Trees for Sustainable Management of Less-favored Lands: The Case of Eucalyptus in Ethiopia, by Pamela Jagger & John Pender, June 2000.
66. Growth and Poverty in Rural China: The Role of Public Investments, by Shenggen Fan, Linxiu Zhang, and Xiaobo Zhang, June 2000.
67. Small-Scale Farms in the Western Brazilian Amazon: Can They Benefit from Carbon Trade? by Chantal Carpentier, Steve Vosti, and Julie Witcover, September 2000.
68. An Evaluation of Dryland Watershed Development Projects in India, by John Kerr, Ganesh Pangare, Vasudha Lokur Pangare, and P.J. George, October 2000.
69. Consumption Effects of Genetic Modification: What If Consumers Are Right? by Konstantinos Giannakas and Murray Fulton, November 2000.
70. South-North Trade, Intellectual Property Jurisdictions, and Freedom to Operate in Agricultural Research on Staple Crops, by Eran Binenbaum, Carol

EPT DISCUSSION PAPERS

- Nottenburg, Philip G. Pardey, Brian D. Wright, and Patricia Zambrano, December 2000.
71. Public Investment and Regional Inequality in Rural China, by Xiaobo Zhang and Shenggen Fan, December 2000.
 72. Does Efficient Water Management Matter? Physical and Economic Efficiency of Water Use in the River Basin, by Ximing Cai, Claudia Ringler, and Mark W. Rosegrant, March 2001.
 73. Monitoring Systems for Managing Natural Resources: Economics, Indicators and Environmental Externalities in a Costa Rican Watershed, by Peter Hazell, Ujjayant Chakravorty, John Dixon, and Rafael Celis, March 2001.
 74. Does Quanxi Matter to NonFarm Employment? by Xiaobo Zhang and Guo Li, June 2001.
 75. The Effect of Environmental Variability on Livestock and Land-Use Management: The Borana Plateau, Southern Ethiopia, by Nancy McCarthy, Abdul Kamara, and Michael Kirk, June 2001.
 76. Market Imperfections and Land Productivity in the Ethiopian Highlands, by Stein Holden, Bekele Shiferaw, and John Pender, August 2001.
 77. Strategies for Sustainable Agricultural Development in the Ethiopian Highlands, by John Pender, Berhanu Gebremedhin, Samuel Benin, and Simeon Ehui, August 2001.
 78. Managing Droughts in the Low-Rainfall Areas of the Middle East and North Africa: Policy Issues, by Peter Hazell, Peter Oram, Nabil Chaherli, September 2001.
 79. Accessing Other People's Technology: Do Non-Profit Agencies Need It? How To Obtain It, by Carol Nottenburg, Philip G. Pardey, and Brian D. Wright, September 2001.
 80. The Economics of Intellectual Property Rights Under Imperfect Enforcement: Developing Countries, Biotechnology, and the TRIPS Agreement, by Konstantinos Giannakas, September 2001.
 81. Land Lease Markets and Agricultural Efficiency: Theory and Evidence from Ethiopia, by John Pender and Marcel Fafchamps, October 2001.

EPT DISCUSSION PAPERS

82. The Demand for Crop Genetic Resources: International Use of the U.S. National Plant Germplasm System, by M. Smale, K. Day-Rubenstein, A. Zohrabian, and T. Hodgkin, October 2001.
83. How Agricultural Research Affects Urban Poverty in Developing Countries: The Case of China, by Shenggen Fan, Cheng Fang, and Xiaobo Zhang, October 2001.
84. How Productive is Infrastructure? New Approach and Evidence From Rural India, by Xiaobo Zhang and Shenggen Fan, October 2001.
85. Development Pathways and Land Management in Uganda: Causes and Implications, by John Pender, Pamela Jagger, Ephraim Nkonya, and Dick Sserunkuuma, December 2001.
86. Sustainability Analysis for Irrigation Water Management: Concepts, Methodology, and Application to the Aral Sea Region, by Ximing Cai, Daene C. McKinney, and Mark W. Rosegrant, December 2001.
87. The Payoffs to Agricultural Biotechnology: An Assessment of the Evidence, by Michele C. Marra, Philip G. Pardey, and Julian M. Alston, January 2002.
88. Economics of Patenting a Research Tool, by Bonwoo Koo and Brian D. Wright, January 2002.
89. Assessing the Impact of Agricultural Research On Poverty Using the Sustainable Livelihoods Framework, by Michelle Adato and Ruth Meinzen-Dick, March 2002.
90. The Role of Rainfed Agriculture in the Future of Global Food Production, by Mark Rosegrant, Ximing Cai, Sarah Cline, and Naoko Nakagawa, March 2002.
91. Why TVEs Have Contributed to Interregional Imbalances in China, by Junichi Ito, March 2002.
92. Strategies for Stimulating Poverty Alleviating Growth in the Rural Nonfarm Economy in Developing Countries, by Steven Haggblade, Peter Hazell, and Thomas Reardon, July 2002.
93. Local Governance and Public Goods Provisions in Rural China, by Xiaobo Zhang, Shenggen Fan, Linxiu Zhang, and Jikun Huang, July 2002.

EPT DISCUSSION PAPERS

94. Agricultural Research and Urban Poverty in India, by Shenggen Fan, September 2002.
95. Assessing and Attributing the Benefits from Varietal Improvement Research: Evidence from Embrapa, Brazil, by Philip G. Pardey, Julian M. Alston, Connie Chan-Kang, Eduardo C. Magalhães, and Stephen A. Vosti, August 2002.
96. India's Plant Variety and Farmers' Rights Legislation: Potential Impact on Stakeholders Access to Genetic Resources, by Anitha Ramanna, January 2003.
97. Maize in Eastern and Southern Africa: Seeds of Success in Retrospect, by Melinda Smale and Thom Jayne, January 2003.
98. Alternative Growth Scenarios for Ugandan Coffee to 2020, by Liangzhi You and Simon Bolwig, February 2003.
99. Public Spending in Developing Countries: Trends, Determination, and Impact, by Shenggen Fan and Neetha Rao, March 2003.
100. The Economics of Generating and Maintaining Plant Variety Rights in China, by Bonwoo Koo, Philip G. Pardey, Keming Qian, and Yi Zhang, February 2003.
101. Impacts of Programs and Organizations on the Adoption of Sustainable Land Management Technologies in Uganda, Pamela Jagger and John Pender, March 2003.
102. Productivity and Land Enhancing Technologies in Northern Ethiopia: Health, Public Investments, and Sequential Adoption, Lire Ersado, Gregory Amacher, and Jeffrey Alwang, April 2003.
103. Animal Health and the Role of Communities: An Example of Trypanosomosis Control Options in Uganda, by Nancy McCarthy, John McDermott, and Paul Coleman, May 2003.
104. Determinantes de Estrategias Comunitarias de Subsistencia y el uso de Prácticas Conservacionistas de Producción Agrícola en las Zonas de Ladera en Honduras, Hans G.P. Jansen, Angel Rodríguez, Amy Damon, y John Pender, Juno 2003.

EPT DISCUSSION PAPERS

105. Determinants of Cereal Diversity in Communities and on Household Farms of the Northern Ethiopian Highlands, by Samuel Benin, Berhanu Gebremedhin, Melinda Smale, John Pender, and Simeon Ehui, June 2003.
106. Demand for Rainfall-Based Index Insurance: A Case Study from Morocco, by Nancy McCarthy, July 2003.
107. Woodlot Devolution in Northern Ethiopia: Opportunities for Empowerment, Smallholder Income Diversification, and Sustainable Land Management, by Pamela Jagger, John Pender, and Berhanu Gebremedhin, September 2003.
108. Conservation Farming in Zambia, by Steven Haggblade, October 2003.
109. National and International Agricultural Research and Rural Poverty: The Case of Rice Research in India and China, by Shenggen Fan, Connie Chan-Kang, Keming Qian, and K. Krishnaiah, September 2003.
110. Rice Research, Technological Progress, and Impacts on the Poor: The Bangladesh Case (Summary Report), by Mahabub Hossain, David Lewis, Manik L. Bose, and Alamgir Chowdhury, October 2003.
111. Impacts of Agricultural Research on Poverty: Findings of an Integrated Economic and Social Analysis, by Ruth Meinzen-Dick, Michelle Adato, Lawrence Haddad, and Peter Hazell, October 2003.
112. An Integrated Economic and Social Analysis to Assess the Impact of Vegetable and Fishpond Technologies on Poverty in Rural Bangladesh, by Kelly Hallman, David Lewis, and Suraiya Begum, October 2003.
113. Public-Private Partnerships in Agricultural Research: An Analysis of Challenges Facing Industry and the Consultative Group on International Agricultural Research, by David J. Spielman and Klaus von Grebmer, January 2004.
114. The Emergence and Spreading of an Improved Traditional Soil and Water Conservation Practice in Burkina Faso, by Daniel Kaboré and Chris Reij, February 2004.
115. Improved Fallows in Kenya: History, Farmer Practice, and Impacts, by Frank Place, Steve Franzel, Qureish Noordin, Bashir Jama, February 2004.

EPT DISCUSSION PAPERS

116. To Reach The Poor – Results From The ISNAR-IFPRI Next Harvest Study On Genetically Modified Crops, Public Research, and Policy Implications, by Atanas Atanassov, Ahmed Bahieldin, Johan Brink, Moises Burachik, Joel I. Cohen, Vibha Dhawan, Reynaldo V. Eborá, José Falck-Zepeda, Luis Herrera-Estrella, John Komen, Fee Chon Low, Emeka Omaliko, Benjamin Odhiambo, Hector Quemada, Yufa Peng, Maria Jose Sampaio, Idah Sithole-Niang, Ana Sittenfeld, Melinda Smale, Sutrisno, Ruud Valyasevi, Yusuf Zafar, and Patricia Zambrano, March 2004
117. Agri-Environmental Policies In A Transitional Economy: The Value of Agricultural Biodiversity in Hungarian Home Gardens, by Ekin Birol, Melinda Smale, And Ágnes Gyovai, April 2004.
118. New Challenges in the Cassava Transformation in Nigeria and Ghana, by Felix Nweke, June 2004.
119. International Exchange of Genetic Resources, the Role of Information and Implications for Ownership: The Case of the U.S. National Plant Germplasm System, by Kelly Day Rubenstein and Melinda Smale, June 2004.
120. Are Horticultural Exports a Replicable Success Story? Evidence from Kenya and Côte d'Ivoire, by Nicholas Minot and Margaret Ngigi, August 2004.
121. Spatial Analysis of Sustainable Livelihood Enterprises of Uganda Cotton Production, by Liangzhi You and Jordan Chamberlin, September 2004
122. Linkages between Poverty and Land Management in Rural Uganda: Evidence from the Uganda National Household Survey, 1999/00, by John Pender, Sarah Ssewanyana, Kato Edward, and Ephraim Nkonya, September 2004.
123. Dairy Development in Ethiopia, by Mohamed A.M. Ahmed, Simeon Ehui, and Yemesrach Assefa, October 2004.
124. Spatial Patterns of Crop Yields in Latin America and the Caribbean, by Stanley Wood, Liangzhi You, and Xiaobo Zhang, October 2004.
125. Variety Demand within the Framework of an Agricultural Household Model with Attributes: The Case of Bananas in Uganda, by Svetlana Edmeades, Melinda Smale, Mitch Renkow and Dan Phaneuf, November 2004.
126. Assessing the Spatial Distribution of Crop Production Using a Cross-Entropy Method, Liangzhi You and Stanley Wood, November 2004.

EPT DISCUSSION PAPERS

127. Water Allocation Policies for the Dong Nai River Basin in Vietnam: An Integrated Perspective, by Claudia Ringler and Nguyen Vu Huy, December 2004.
128. Participation of Local People in Water Management: Evidence from the Mae Sa Watershed, Northern Thailand, by Helene Heyd and Andreas Neef, December 2004.
129. Improved Water Supply in the Ghanaian Volta Basin: Who Uses it and Who Participates in Community Decision-Making? by Stefanie Engel, Maria Iskandarani, and Maria del Pilar Useche, January 2005.
130. Improved Fallows in Eastern Zambia: History, Farmer Practice and Impacts, by Freddie Kwesiga, Steven Franzel, Paramu Mafongoya, Olu Ajayi, Donald Phiri, Roza Katanga, Elias Kuntashula, Frank Place, and Teddy Chirwa, February 2005.
131. The Case of Smallholder Dairying in Eastern Africa, by Margaret Ngigi, February 2005.
132. Incorporating Project Uncertainty in Novel Environmental Biotechnologies: Illustrated Using Phytoremediation, by Nicholas A. Linacre, Steven N. Whiting, and J. Scott Angle, May 2005.
133. Ecological Risks of Novel Environmental Crop Technologies Using Phytoremediation as an Example, by J. Scott Angle and Nicholas A. Linacre, May 2005.
134. Policy Options for Increasing Crop Productivity and Reducing Soil Nutrient Depletion and Poverty in Uganda, Ephraim Nkonya, John Pender, Crammer Kaizzi, Kato Edward, and Samuel Mugarura, March 2005.
135. Local Seed Systems and Village-Level Determinants of Millet Crop Diversity in Marginal Environments of India, by Latha Nagarajan and Melinda Smale, June 2005.
136. The Emergence of Insect Resistance in Bt-Corn: Implication of Resistance Management Information under Uncertainty, by Nicholas A. Linacre and Colin J. Thompson, June 2005.
137. Incorporating Collateral Information Using an Adaptive Management Framework for the Regulation of Transgenic Crops, by Nicholas Linacre, Mark A. Burgman, Peter K. Ades, And Allen Stewart-Oaten, August 2005.

EPT DISCUSSION PAPERS

138. Security Analysis for Agroterrorism: Applying the Threat, Vulnerability, Consequence Framework to Developing Countries, by Nicholas A. Linacre, Joanne Gaskell, Mark W. Rosegrant, Jose Falck-Zepeda, Hector Quemada, Mark Halsey, and Regina Birner, August 2005.
139. Comparing Farm and Village-Level Determinants of Millet Diversity in Marginal Environments of India: The Context of Seed Systems, Latha Nagarajan, Melinda Smale, and Paul Glewwe, August 2005.
140. Analysis for Biotechnology Innovations Using Strategic Environmental Assessment (SEA), by Nicholas A. Linacre, Joanne Gaskell, Mark W. Rosegrant, Jose Falck-Zepeda, Hector Quemada, Mark Halsey, and Regina Birner, July 2005.
141. Water Pricing and Valuation in Indonesia: Case Study of the Brantas River Basin, by Charles Rodgers and Petra J.G.J. Hellegers, August 2005.
142. Farmer Willingness to Pay for Seed-Related Information: Rice Varieties in Nigeria and Benin, by J. Daniela Horna, Melinda Smale, and Matthias von Oppen, September 2005.
143. Impact of Global Warming on Chinese Wheat Productivity, by Liangzhi You, Mark W. Rosegrant, Cheng Fang, and Stanley Wood, October 2005.
144. On Farm Conservation of Rice Biodiversity in Nepal: A Simultaneous Estimation Approach, by D. Gauchan, M. E. Van Dusen, and M. Smale, November 2005.
145. Development and Evaluation of a Regional Water Poverty Index for Benin, by Claudia Heidecke, January 2006.
146. Comparative Analysis of the National Biosafety Regulatory Systems in East Africa, by Greg Jaffe, January 2006.
147. An Analysis of Trade Related International Regulations of Genetically Modified Food and their Effects on Developing Countries, by Guillaume P. Gruère, February 2006.
148. A Hedonic Approach to Estimating the Supply of Variety Attributes of a Subsistence Crop, by Svetlana Edmeades, February 2006.